







## SITE CALCULATIONS:

SITE AREA: 431,027 SQ. FT.  
BUILDING FOOTPRINT: 72,170 SQ. FT.  
PARKING AREA: 127,737 SQ. FT.  
ELECTRIC EASEMENT: 86,374 SQ. FT.

## PROPOSED LANDSCAPING:

- PERIMETER LANDSCAPING: 30,934 SQ. FT. REQUIRED, 30,934 SQ. FT. PROVIDED
  - TREES: 58 REQUIRED, 67 PROVIDED
- INTERIOR LANDSCAPING: 12,774 SQ. FT. REQUIRED, 16,276 SQ. FT. PROVIDED
  - TREES: 32 REQUIRED, 32 PROVIDED
- NON-VEHICULAR LANDSCAPING: 53,829 SQ. FT. REQUIRED, 118,600 SQ. FT. PROVIDED
  - TREES: 37 REQUIRED, 39 PROVIDED
- PERCENTAGE OF TOTAL SITE AREA DEVOTED TO LANDSCAPING: 46.7 %

## MAINTENANCE PROVISIONS:

POST DEVELOPMENT SITE WILL UNDERGO ROUTINE MAINTENANCE INCLUDING, BUT NOT LIMITED TO:

- BI-MONTHLY MOWING
- MONTHLY WEEDING
- BI-ANNUAL FERTILIZATION
- ANNUAL TREE TRIMMING
- IRRIGATION REPAIR

## GENERAL CONSTRUCTION NOTES:

1. CONTRACTOR SHALL BE FAMILIAR WITH ALL EXISTING SITE CONDITIONS INCLUDING UNDERGROUND UTILITIES, PIPES, AND STRUCTURES.
2. CONTRACTOR SHALL BE RESPONSIBLE FOR BODILY INJURY AND/OR ANY COST INCURRED DUE TO DAMAGE OF OWNER'S PROPERTY OR UTILITIES.
3. CONTRACTOR IS RESPONSIBLE FOR CONTACTING ALL UTILITY COMPANIES PRIOR TO ANY EXCAVATION TO ENSURE UTILITIES ARE NOT DISTURBED. REFER TO CIVIL DRAWINGS FOR ALL SITE UTILITIES.
4. ANY CONFLICTING INFORMATION SHALL BE BROUGHT TO THE ATTENTION OF THE LANDSCAPE ARCHITECT DURING BIDDING AND PRIOR TO CONTRACTS BEING AWARDED TO CONTRACTORS, OR IT SHALL BE ASSUMED THAT THE CONTRACTOR CAN IMPLEMENT THE PLANS AS DRAWN AND SPECIFIED.
5. EXISTING CONDITIONS ARE SHOWN SHADED BACK TO ALLOW ALL PROPOSED IMPROVEMENTS TO STAND OUT. EXISTING BASE INFORMATION HAS BEEN IMPORTED FROM CIVIL AND ARCHITECTURAL DRAWINGS. REFER TO THESE DRAWINGS FOR SUPPLEMENTAL INFORMATION.
6. THE CONTRACTORS (GENERAL AND SUBCONTRACTORS) SHALL PROVIDE UNIT COSTS FOR ALL SOFTSCAPE AND HARDSCAPE MATERIAL SPECIFIED ON THE DRAWINGS AND SPECIFICATIONS. UNIT COSTS SHALL BE PROVIDED FOR MATERIALS AND INSTALLATION SEPARATELY. UNIT COSTS SHALL BE: 'EACH' FOR PLANT MATERIAL, 'SQUARE FOOT' OR 'SQUARE YARD' FOR PAVEMENTS, LINEAR FOOT FOR WALL AND FENCE, 'EACH' FOR SITE FURNISHINGS AND SITE AMENITIES, 'CUBIC YARD' OR 'CUBIC FOOT' FOR SOIL, MULCH AND OTHER BULK PRODUCTS AND 'EACH' OR 'LUMP SUM' FOR MISCELLANEOUS ITEMS. THE UNIT COST SHALL BE FORMATTED TO HAVE COLUMNS FOR: ITEMS, UNIT, UNIT COST, TOTAL ITEM COST.
7. LOCATE JOINTS IN CONCRETE PAVING ACCORDING TO PLAN. IF NONE SHOWN, CONTROL JOINTS SHALL CREATE SQUARE PANELS AND NOT EXCEED 10 FOOT SPACING AND SHALL BE 1/4 OF THE DEPTH OF THE PAVING. EXPANSION JOINTS SHALL NOT EXCEED 50 FOOT SPACING AND SHALL INCLUDE AN ASPHALT JOINT WITH FLEXIBLE SEALANT TO MATCH THE PAVEMENT COLOR. EXPANSION JOINTS TO HAVE 12" LONG #3 SMOOTH GALVANIZED DOWEL IN VERTICAL CENTER OF JOINT, SPACED HORIZONTALLY EQUALLY 10 INCHES APART OR A MINIMUM OF TWO PER JOINT, WHICHEVER IS GREATER.

## LANDSCAPE PLANTING NOTES:

1. ALL WEEDS WITHIN THE LIMITS OF CONSTRUCTION ARE TO BE REMOVED AND TAKEN OFF SITE BY THE CONTRACTOR. ROOT SYSTEMS SHOULD BE ERADICATED.
2. FINISH GRADES OF PLANT BED AREAS (TOP OF MULCH), SOD (TOP OF SOD), HYDROMULCH (TOP OF TOPSOIL), SHALL BE FLUSH WITH ADJACENT PAVING.
3. TRENCHING AND SITE WORK PERFORMED WITHIN THE PROMINENT ROOT ZONES OF EXISTING TREES SHALL BE DONE BY HAND OR AIR SPADE UNLESS OTHERWISE SPECIFIED BY THE LANDSCAPE ARCHITECT. NO ROOTS OVER 1" DIA. SHALL BE CUT.
4. VERIFY PLANT COUNTS AND SQUARE FOOTAGES: IF QUANTITIES ON PLANT SCHEDULE DIFFER FROM GRAPHIC INDICATIONS, THEN GRAPHICS SHALL PREVAIL.
5. LANDSCAPE ARCHITECT TO REVIEW PLANT MATERIALS AT SOURCE OR BY PHOTOGRAPHS OF ACTUAL MATERIAL TO BE PLANTED PRIOR TO PURCHASE, DIGGING, OR SHIPPING OF PLANT MATERIALS.
6. PROVIDE MATCHING FORMS AND SIZES FOR PLANT MATERIALS WITHIN EACH SPECIES AND SIZE DESIGNATED ON THE DRAWINGS.
7. PLANT NAMES USED ON THE PLANS COMPLY WITH STANDARD HORTICULTURAL NOMENCLATURE, AND NAMES GENERALLY ACCEPTED IN THE NURSERY TRADE. THE LANDSCAPE ARCHITECT, OR OWNERS REPRESENTATIVE SHALL REVIEW ALL PLANTS AT THE TIME OF DELIVERY TO THE SITE. IF THE CONTRACTOR FAILS TO NOTIFY THE LANDSCAPE ARCHITECT, OR OWNERS REPRESENTATIVE FORTY-EIGHT (48) HOURS IN ADVANCE OF THE DELIVERY TIME, AND/OR DOES NOT CALL FOR OBSERVATION OF THE MATERIAL, THE CONTRACTOR SHALL BE LIABLE FOR ALL REMOVAL AND REPLACEMENT COSTS OF THE PLANT MATERIAL. THE PLANT MATERIAL WILL BE JUDGED AND ACCEPTED OR REJECTED ON BASIS OF THE FOLLOWING CRITERIA:
  - a. PROVIDE PLANTS OF QUALITY, SIZE, GENUS, SPECIES, AND VARIETY AS INDICATED ON THE PLANS AND AS COORDINATED WITH THE LANDSCAPE ARCHITECT.
  - b. PLANTS SHALL BE FREE OF DISEASE, INSECTS, EGGS, LARVAE, AND DEFECTS, CONFORMING TO ANSI Z60.1
  - c. TREE CANOPIES SHALL HAVE AN INTACT AND UNDAMAGED CENTRAL LEADER.
  - d. TREES ARE REQUIRED TO STAND UPRIGHT WITH NO SUPPORT AND HAVE PROPER TRUNK CALIPER AND TAPER. TREES HAVING "BROOM STICK" TRUNKS WITH "POODLE" TOPS WILL NOT BE ACCEPTED.
  - e. BARK SHALL BE DAMAGE FREE WITH ALL MINOR CUTS AND ABRASIONS SHOWING HEALING TISSUE. FOLIAGE, ROOTS AND STEMS OF ALL PLANTS SHALL BE OF VIGOROUS HEALTH AND NORMAL HABIT OF GROWTH FOR ITS SPECIES. ALL PLANTS SHALL BE FREE OF INSECT INFESTATIONS AND DISEASES. TOP GROWTH SHALL BE PROPORTIONATE TO BOTTOM GROWTH.
  - f. SHRUBS TRANSPLANTED IN AN UP-SIZED CONTAINER LARGER THAN SPECIFIED SIZE, SHALL HAVE BEEN GROWN IN THAT CONTAINER FOR A SUFFICIENT LENGTH OF TIME TO DEVELOP NEW FIBROUS ROOTS, SO THAT ROOT MASS WILL FILL THE CONTAINER.
  - g. AREAS DISTURBED BY CONSTRUCTION AND ARE NOT SCHEDULED TO BE IMPROVED SHALL BE REPAIRED TO THE STATE THAT IT WAS PRIOR TO THE START OF CONSTRUCTION.
8. ALIGN AND EQUALLY SPACE IN ALL DIRECTIONS PLANTS SO DESIGNATED PER THESE NOTES AND DRAWINGS.
9. EXACT LOCATIONS OF PLANT MATERIALS TO BE APPROVED BY THE LANDSCAPE ARCHITECT IN THE FIELD PRIOR TO INSTALLATION. LANDSCAPE ARCHITECT RESERVES THE RIGHT TO DIRECT THE ADJUSTMENT OF PLANTS TO EXACT LOCATION IN FIELD.
10. IF PLANT MATERIAL IS BALL AND BURLAP, CUT AND REMOVE BURLAP FROM TOP 1/3 OF BALL. CONTAINER GROWN STOCK WILL HAVE THE OUTSIDE EDGE OF THE ROOTBALL LOOSENED BY HAND AFTER REMOVING FROM THE CONTAINER.
11. PRUNE NEWLY PLANTED TREES ONLY AS DIRECTED BY LANDSCAPE ARCHITECT.
12. PROVIDE SPECIFIED EDGING AS DIVIDER BETWEEN PLANTING BEDS AND LAWN AREAS.
13. PLANT SPACING LISTED IN PLANT SCHEDULE IS A MAXIMUM TYPICAL SPACING. IF PLANTS ARE SHOWN CLOSER ON THE PLAN THEY SHOULD BE INSTALLED PER THE PLAN.
14. ALL PROPOSED TURF GRASS AREAS SHALL HAVE 6" DEPTH OF CLEAN (NO WEEDS, ROOTS, DEBRIS, VEGETATION) TOPSOIL, UNLESS A LESSOR DEPTH IS REQUIRED BY THE LOCAL JURISDICTION. TOP SOIL SHOULD BE ATTAINED FROM A REPUTABLE SOURCE LOCATED WITHIN 50 MILES OF THE PROJECT SITE.
15. ALL SOD INSTALLED ON SLOPES 4:1 OR STEEPER SHALL HAVE BIODEGRADABLE STAKES / STAPLES INSTALLED.
16. ALL PLANTING BED SOIL MIX SHALL BE AMENDED TOPSOIL. CONTRACTOR TO PROVIDE A SOIL TEST RESULTS TO THE LANDSCAPE ARCHITECT FOR REVIEW AND APPROVAL OF TOPSOIL TO BE USED, AND THE APPROPRIATE AMENDMENTS TO BE ADDED TO THE TOPSOIL TO PROVIDE OPTIMUM GROWING CONDITIONS. ALL TOPSOIL SHALL BE FREE OF ROCKS LARGER THAN 3/4" DIAMETER, DELETERIOUS MATERIAL AND ANY DEBRIS.

## IRRIGATION NOTE:

1. ALL LANDSCAPED AREAS SHALL BE FULLY IRRIGATED AND AN IRRIGATION PLAN WILL BE PROVIDED WITH THE BUILDING PERMIT SUBMISSION



107 Leland Street, Suite 2  
Austin, TX 78704

P.O. BOX 40792  
Austin, TX 78704

Phone: (512) 388-4115

PROFESSIONAL SEAL:



DATE SEALED: 02/09/2026

PROJECT NAME:


**THE  
RESIDENCE AT  
COPPELL**

OWNER:

**JOURNEYMAN  
GROUP**

PROJECT LOCATION:

**700 CANYON  
DR.  
COPPELL, TX  
75019**



REVISIONS:

PROJECT #: 046-25-05  
ORIGINAL ISSUE: 02/09/2026

DRAWING TITLE: CITY SHEETS

**LANDSCAPE  
NOTES AND  
CALCULATIONS**

SHEET NO.:

**L103**