

0.04 0.03 0.02 0.02 0.02 0.02 0.03 0.04 0.04 0.03 0.03 0.03 0.03 0.04 0.05 0.06 0.08 0.09 0.11 0.11 0.10 0.09 0.07 0.07 0.07 0.06 0.04 0.02 0.01 0.01 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.01 0.01 0.01 0.02 0.02 0.02 0.03 0.03 0.04 0.05 0.05 0.06 0.06 0.06 0.05 0.05 0.04 0.04 0.04 0.03

Section 1 - Vertical Readings

0.130.09 0.11 0.10 0.09 0.08 0.08 0.09 0.10 0.10 0.10 0.11 0.12 0.13 0.14 0.14 0.14 0.15 0.15 0.17 0.15 0.14 0.12 0.10 0.08 0.07 0.06 0.05 0.05 0.05 0.05 0.06 0.07 0.06 0.06 0.06 0.05 0.05 0.04 0.04 0.04 0.03

Section 2 - Vertical Readings

0.06 0.08 0.09 0.10 0.10 0.11 0.12 0.12 0.12 0.12 0.13 0.13 0.13 0.13 0.14 0.14 0.15 0.15 0.16 0.18 0.17 0.18 0.18 0.19 0.19 0.20 0.19 0.20 0.20 0.21 0.21 0.22 0.23 0.23 0.23 0.24 0.23 0.22 0.16 0.130

Section 3 - Vertical Readings

Canopy Lighting will be dimmed from 12a.m. - 6a.m. to the surrounding light levels

Symbol	Qty	Label	Arrangement	Description
[Symbol]	2	LDH2a_1	Back-Back	GLEON-SA6C-740-VOLT-5MQ-BZ
[Symbol]	21	FC1-B	Single	SCV-LED-10L-SC-50
[Symbol]	1	LDC41	Single	GLEON-SA4C-740-U-T2-HSS
[Symbol]	3	LDC41a	Single	GLEON-SA4C-740-U-T2R-HSS
[Symbol]	1	LDC41d	Single	GLEON-SA4C-740-U-T2-HS-GRSWH
[Symbol]	1	LDE41HSS	Single	GLEON-SA4C-740-U-SL4-HSS
[Symbol]	1	LDH61	SINGLE	GLEON-SA6C-740-VOLT-5MQ-BZ
[Symbol]	1	LDH61a	Single	GLEON-SA6C-740-U-5MQ-HS-GRSBK
[Symbol]	1	LDH61b	SINGLE	GLEON-SA6C-740-VOLT-5MQ-BZ
[Symbol]	1	LDH62	Back-Back	GLEON-SA6C-740-VOLT-5MQ-BZ
[Symbol]	1	LDH71	Single	GLEON-SA7C-740-U-5MQ
[Symbol]	2	LDH71a	Single	GLEON-SA7C-740-U-5MQ-HS-GRSBK
[Symbol]	1	LDH81a	Single	GLEON-SA8C-740-U-5MQ-HS-GRSBK
[Symbol]	1	LDH81b	Single	GLEON-SA8C-740-U-5MQ-HS-GRSBK
[Symbol]	1	LDH81c	GROUP	GLEON-SA8C-740-U-5MQ-BZ (2 HS-GRSBK)
[Symbol]	3	LWY1a	Single	GLEON-SA1C-740-U-AFL
[Symbol]	1	NFLD	Single	NFFLD-C25-D-UNV-66
[Symbol]	1	NFLDa	Single	NFFLD-C25-D-UNV-66
[Symbol]	1	NFLDb	Single	NFFLD-C25-D-UNV-66
[Symbol]	1	NN14	SINGLE	AXCSA
[Symbol]	8	RLD	Single	8in Downlight Existing

Label	CalcType	Units	Avg	Max	Min	Avg/Min	Max/Min
FUEL CENTER	Illuminance	Fc	34.07	51.0	14.7	2.32	3.47
SPILL LIGHT @ GRADE LEVEL	Illuminance	Fc	0.00	0.0	0.0	N.A.	N.A.
LEVELS ON WALL	Illuminance	Fc	0.09	0.2	0.0	N.A.	N.A.

Label	X	Y	Z	Orient
FC1-B	181.017	-365.199	15	179.437
FC1-B	195.016	-365.238	15	179.437
FC1-B	180.979	-379.2	15	179.437
FC1-B	194.978	-379.238	15	179.437
FC1-B	181.121	-390.145	15	179.437
FC1-B	195.122	-390.183	15	179.437
FC1-B	181.083	-404.144	15	179.437
FC1-B	195.084	-404.182	15	179.437
FC1-B	180.622	-415.156	15	179.437
FC1-B	194.622	-415.195	15	179.437
FC1-B	180.584	-429.156	15	179.437
FC1-B	194.584	-429.194	15	179.437
FC1-B	179.671	-446.451	15	179.437
FC1-B	180.047	-461.196	15	179.437
FC1-B	194.046	-461.234	15	179.437
FC1-B	180.008	-475.196	15	179.437
FC1-B	194.008	-475.234	15	179.437
FC1-B	179.841	-486.324	15	179.437
FC1-B	193.84	-486.362	15	179.437
FC1-B	179.803	-500.323	15	179.437
FC1-B	193.802	-500.361	15	179.437
LDC41	247.129	-409.506	30	180
LDC41a	-227.209	-127.478	26.5	15.313
LDC41a	-52.194	38.907	26.5	273.828
LDC41d	196.072	40.145	26.5	273.523
LDC41d	-119.355	-501.162	30	0
LDE41HSS	-231.834	-29.7	26.5	341.567
LDH61	0.044	-453.503	30	30
LDH61a	-117.594	-500.993	30	30
LDH61b	247.483	-295.043	30	30
LDH62	124.495	-505.655	30	30
LDH62a_1	208.633	-175.549	30	0
LDH62a_1	205.943	-56.746	30	0
LDH71	125.212	-408.461	30	30
LDH71a	-116.877	-405.233	30	30
LDH71a	1.119	-405.951	30	30
LDH81a	3.157	-294.898	30	30
LDH81b	-113.509	-301.684	30	30
LDH81c	126.528	-295.515	30	0
LWY1a	-136.255	-103.181	15	181.757
LWY1a	-135.008	-151.953	15	181.757
LWY1a	-157.297	-55.782	15	181.757
NFLD	4.075	-295.186	29	46.931
NFLDa	127.43	-295.59	29	103.585
NFLDb	-112.609	-301.684	29	70.538
NN14	-155.345	-150.889	9	180
RLD	-157.864	-195.561	10	0
RLD	-157.864	-190.971	10	0
RLD	-138.914	-241.94	12	0
RLD	-123.49	-241.573	12	0
RLD	-108.68	-241.407	12	0
RLD	101.134	-236.168	12	0
RLD	116.558	-235.801	12	0
RLD	131.368	-235.635	12	0

COOPER
Lighting solutions
Applications Engineering
1121 Highway 74 South
Peachtree City, GA 30269
tel no: 770-486-45x
fax no: 770-486-4599
e-mail: mkt-lightingapplications@cooperlighting.com

COOPER
Lighting Solutions

We make no representation as to its completeness, currency or accuracy because of reasons inherent to CAD and the additional digital data used to produce a lighting application. All digital CAD data appear to be extremely accurate, however, this apparent accuracy is an artifact of the techniques used to generate it, and is in no way intended to imply actual accuracy. The user of this data takes full responsibility for the accuracy and correctness of all measurements, area, inventories or other data extracted from this, or any other, application. The user of this data takes full responsibility for the accuracy and correctness of all measurements, area, inventories or other data extracted from this, or any other, application. Any variance from reflected values, obstructions, light loss factors or dimensional data will affect the actual light levels obtained. This analysis is a mathematical model and can be only as accurate as is permitted by the third party software and the IES standards used. In addition, the user of this data takes full responsibility for the accuracy and correctness of all measurements, area, inventories or other data extracted from this, or any other, application. The presence of objects will decrease light levels and may cause some shadowing. Lighting application drawings are being provided to the recipient of this disclaimer.

Project Name: **KROGER SW 448 - COPPELL, TX**
Client: **The Kroger Company
David Sergeant**

Drawn By: **Wendy Norman, LC**
Date: **9/22/2023**
Scale: **SCALE: 1" = 50'**
Project No: **2101139B Fuel Center 6-23-23 AGI**

