

Sidewalk Pavement Repairs List 2012-13

Priority	Date	Address	(s.f.) Size	Misc.
1	10/8/2012	Alex 269	16	sinking (temp. ramp installed)
1	2/4/2013	Alex 350	160	sinking
1	6/12/2012	Alex 351	44	sinking
1	3/20/2012	Allen Rd 692	100	sinking
1	11/29/2010	Armstrong 726	100	sinking
1	4/17/2012	Armstrong 737	52	sinking at alley entrance on cul de sac
1	10/15/2012	Ashford 616	169	sinking
1	9/24/2012	Aspenway 203	60	sinking
1	10/26/2011	Aspenway 232-240	216	sinking
1	10/4/2012	Barclay 222-226	480	sinking (temp. ramp installed)
1	4/5/2012	Barclay 255	80	sinking
1	6/12/2012	Barclay 258	55	sinking/cracked
1	3/26/2012	Barclay 262	88	sinking to curb
1	5/14/2012	Barclay 317	20	sinking (Bethel School side of 466 Harris-corner lot)
1	10/21/2012	Beechwood (Across from 180	48	sinking/broken across alley entrance
1	12/17/2010	Bethel School/Harris	160	sinking
1	3/14/2012	Bethel School E. 628	32	sinking
1	1/18/2012	Bethel School E. 1001	64	sinking
1	6/9/2011	Bitternut 836	100	sinking (temp. ramp installed)
1	11/14/2011	Bitternut 860-864	204	sinking between houses
1	5/10/2012	Branchwood Trl 125-129	100	sinking (temp. ramp installed)
1	12/27/2011	Brentwood 925	15	sinking
1	8/1/2011	Briarglen 509	80	sinking/broken
1	3/26/2012	Briarglen 637	72	sinking
1	9/9/2011	Brock 317	84	sinking (temp. ramp installed 12/7/11)
1	6/20/2011	Brooks 412	260	sinking at curb
1	10/31/2012	Brushy Creek Trl 312	15	sinking
1	10/1/2012	Brushy Creek Trl 313	20	sinking
1	9/22/2011	Canemount 611	100	sinking/broken

1	10/23/2012	Cardinal 733	40	sinking at curb sinking going out to curb & between
1	12/5/2012	Chalfont Pl 866-870	60	houses sinking at curb (temp. ramp installed)
1	7/13/2012	Cheshire 846	52	sinking/broken (corner house both sides)
1	1/25/2012	Clifton Ct 614	60	sinking at curb
1	4/19/2012	Coats 622	800	sinking from front to alley entrance
1	2/4/2013	Coats 625	600	sinking/cracked
1	7/12/2011	Condor 942	60	sinking
1	10/27/2012	Cooper Ln 523	20	sinking
1	10/31/2012	Copperstone Trl 330	200	sinking/broken
1	2/15/2013	Copperstone Trl 338	20	sinking
1	8/24/2011	Copperstone Trl 418-422	100	sinking
1	9/21/2012	Cove 343	32	sinking
1	6/1/2012	Creekside 106	60	sinking sinking (temp. ramp installed)
1	10/18/2011	Crestview Ct 784	40	sinking/broken
1	2/20/2012	Cribbs 646	112	sinking/broken
1	11/14/2012	Deann 112	160	sinking
1	7/16/2012	Deann 121	172	sinking (asked if sidewalk can be re- routed to save tree)
1	2/15/2013	Deforest 601	80	sinking
1	8/24/2012	Deforest 637	120	sinking handicap ramp
1	12/8/2011	Deforest 661	140	sinking
1	4/5/2012	Deforest 673	20	sinking/broken in 3 different areas
1	4/9/2012	Delta Ct 235 Denton Tap (behind 840 Fallkirk)	120	sinking/broken
1	12/6/2010	Fallkirk)	100	sinking/broken
1	11/14/2012	Dillard 416	120	sinking out to curb & cracking parallel to street
1	5/22/2012	Dogwood Trl 348	64	sinking/broken
1	6/23/2011	Dove Cir 704	88	sinking
1	1/12/2013	Edgewood 202	120	sinking
1	10/17/2012	Edgewood 206	248	sinking
1	7/22/2011	Edgewood 250	240	sinking (temp. ramp installed)
1	8/23/2012	Edgewood 315	184	sinking

1	11/15/2011	Falcon 941	80	sinking
1	11/14/2012	Falkirk 136	60	broken
1	2/16/2011	Falkirk Ct 844	120	sinking/broken
1	12/8/2010	Falkirk Ct 848	60	sinking
1	9/4/2012	Forest Hill 636	20	sinking
				sinking at SE corner Gibbs Crossing & Village Pkwy
1	10/24/2011	Forest Ridge 457-461	20	add missing sections from intersection west to existing
1	8/7/2012	Gibbs Crossing 1003	80	sinking
1	12/10/2010	Glen Lakes @ MacArthur	100	sinking/broken
1	6/22/2012	Grace 512	55	sinking (temp. ramp installed)
1	7/25/2011	Greenridge 419	264	sinking/cracked entrance between Windham & Kingston
1	10/23/2011	Greenridge 504-508	60	sinking
1	11/16/2012	Greenridge 520	284	sinking at curb
1	9/13/2011	Halifax (alley entrance)	20	sinking
1	3/28/2012	Halifax 456	80	sinking/broken
1	6/21/2011	Hampton 414	20	sinking
1	11/22/2011	Harrison 628	155	sinking (corner lot front & side walks)
1	1/13/2012	Hartford Cir 130	48	sinking
1	7/15/2012	Hawk 600	116	sinking
1	3/1/2012	Hawk 614	152	sinking (front & side) sinking (temp. ramp installed)
1	3/1/2012	Heartz S. 420	40	sinking
1	10/11/2012	Heather Glen 143	100	sinking
1	12/10/2012	Heather Glen 221	100	sinking
1	7/19/2012	Highland Meadow Cir 140	100	sinking/broken
1	10/18/2011	Highland Meadow Cir 144	160	sinking
1	11/15/2012	Highland Meadow Cir 159	240	sinking (Contact resident to quote repair of leadwalk)
1	4/19/2011	Hill 113, 117, 121	727	sinking
1	12/7/2012	Hill 221	60	sinking
1	12/7/2012	Hill 225-229	60	sinking/broken 2 places
1	10/3/2012	Hollow Ridge Pl 686	80	sinking/broken
1	6/15/2012	Hood 646	332	

1	9/11/2012	Hunters Ridge Cir 421	320	sinking (also ramp on Parkway corner)
1	1/10/2013	Island Bay 329	30	sinking
1	7/5/2012	Kailey Way 276	170	broken northwest & southwest corners
1	6/18/2008	Kilbridge Ln/Kilbridge Ct	250	sinking/broken across street from address
1	12/6/2010	Kilbridge 828	36	sinking/broken
1	1/23/2013	Kingsridge 124	25	sinking
1	9/12/2012	Kingsridge 133	40	sinking
1	8/27/2012	Kyle 332	16	sinking
1	2/28/2012	Kyle 352	20	sinking (needs handicap ramp)
1	2/28/2012	Kyle 356	32	sinking/broken
1	8/27/2012	Kyle 420	160	broken (close to fire hydrant)
1	4/30/2010	Laguna 954	10	sinking/broken
1	1/9/2012	Lake Park 622	100	sinking/broken
1	10/15/2012	Lakewood Ct 340	45	sinking/broken front & side of corner lot
1	12/10/2012	Leisure Ln 236	120	sinking
1	7/25/2011	Lenten Ct 902	400	sinking/cracked north and south corners at ramp
1	11/29/2011	Lenten Ct 903	140	sinking west side of street N of Tanglewood between Tanglewood & Park Valley
1	2/7/2013	Levee Pl 610	200	Corner lot sinking on Levee & Natches Tr. Side
1	7/13/2012	Lodge	400	sinking/cracked
1	5/6/2012	Lodge 306	40	sinking
1	3/1/2012	Lodge 314	36	sinking (needs to be raised to curb height)
1	11/10/2010	MacArthur/Deforest	4800	add missing sections south on east side of MacArthur
1	6/28/2011	MacArthur/Sandy Lake	2000	sinking (corner lot-in front of house and on Starleaf
1	2/29/2012	MacArthur 277	272	sinking

1	5/25/2012	MacArthur S. 585	508	sinking
1	6/23/2010	Madison 622	225	
				sinking in front of house (resident says no work was done in 2011)
1	5/11/2010	Mallard 958	40	
1	2/7/2011	Mapleleaf 915	64	sinking
1	8/29/2012	Marlee Cir 736	92	sinking
1	11/30/2012	Marlee Cir 740	100	sinking
				sinking (temp. ramp installed)
1	1/26/2012	Meadowglen Cir 702	160	installed)
1	4/11/2012	Meadowview 522	210	sinking
1	8/21/2012	Meadowview 623	20	broken
1	8/19/2011	Mesquitewood 144	80	sinking/cracking
1	10/4/2011	Mockingbird 212	100	sinking
				sinking (temp. ramp installed)
1	4/22/2012	Mockingbird 232	100	installed)
				sinking south of the drive (temp. ramp installed)
1	9/21/2011	Moore 137-139	100	installed)
				sinking (temp. repair done)
1	1/13/2012	Moore N. 416	88	done)
1	12/5/2012	Nottingham 649	80	sinking
1	8/7/2012	Nottingham 657	80	sinking
1	8/15/2012	Oriole 735	120	sinking
				sinking/broken (cut out exposed rebar)
1	11/21/2011	Park Highlands Ct 624	40	cut out exposed rebar)
				sinking (temp. ramp installed)
1	6/14/2011	Park Meadow Way 224-228	160	installed)
				sinking (void under sidewalk partially filled with dirt)
1	1/6/2012	Park Valley/Sand Point	100	filled with dirt)
				sinking/broken on the north side of 320
1	2/28/2010	Parkview	20	Morning Mist
1	9/9/2011	Parkview 412	80	sinking/cracked
1	8/4/2012	Parkview 521	120	sinking
				pad between 475 & 479
1	1/19/2011	Parkway 475-479	288	479
1	7/17/2012	Parkway E. 724-728	100	sinking/cracked
1	7/27/2012	Parkwood 430	80	sinking
1	5/17/2012	Pebble Creek 1434	80	sinking

1	7/6/2012	Pecan Hollow350	20	broken at alley entrance
1	11/17/2011	Pecan Hollow 436	55	sinking (temp. raised sidewalk)
1	3/8/2012	Phillips 321	40	sinking (temp. ramp installed)
1	3/8/2012	Phillips 325	160	sinking (temp. ramp installed)
1	7/3/2012	Phillips 349-353	252	sinking
1	6/12/2012	Philips 636	200	sinking
1	8/9/2011	Pinyon 153	40	sinking
1	8/31/2011	Pinyon 258-262	320	sinking/cracked
1	7/18/2011	Pinyon 327	200	sinking/broken
1	3/3/2011	Plantation 217	140	sinking/cracked
1	5/21/2011	Plantation 317	100	sinking
1	9/27/2012	Plantation 409-417	400	sinking
1	10/21/2011	Plantation 412	132	sinking
1	4/19/2012	Raintree 336-340	158	sinking/broken
1	12/29/2011	Raven 112	20	sinking
1	2/17/2012	Raven 124	45	sinking (temp. ramp installed)
1	11/15/2011	Redcedar Way 900	148	sinking/broken
1	8/23/2012	Redcedar Way 950	164	sinking/broken
1	10/17/2012	Sand Point Ct 105	20	sinking
1	8/9/2012	Sea Hawk Ct 408	40	sinking
1	12/19/2012	Shadowcrest 404	72	sinking/broken
1	12/19/2012	Shadowcrest 405	180	sinking/broken
1	4/25/2011	Shadowcrest 416	96	sinking
1	1/26/2012	Shorewood Ct 327	80	broken across driveway
1	7/2/2012	Simmons 185	144	sinking
1	7/27/2011	Simmons 224	256	sinking
1	1/6/2012	Sparrow 724	20	sinking/broken
1	1/6/2012	Sparrow 728	20	sinking next to curb
1	1/4/2013	Sparrow 736	120	sinking
1	9/12/2011	Springoak 321	108	sinking/broken
1	2/19/2013	Spyglass 120	52	sinking
1	10/18/2011	Starleaf	320	sinking west of MacArthur (Utility repair necessary)
1	11/16/2012	Stonecrest 1313	120	sinking 2 areas
1	8/16/2012	Sugarberry 836	240	sinking
1	7/11/2011	Sugarberry 915-917	80	sinking

1	9/24/2011	Suzanne Way 233	80	sinking
1	9/24/2011	Suzanne Way 237	60	sinking
1	9/24/2011	Suzanne Way 241	60	sinking
1	9/24/2011	Suzanne Way 245	60	sinking
1	8/30/2011	Swallow 719	200	sinking
1	8/7/2012	Swallow 751	224	sinking
				barrier free ramp on
1	7/13/2012	Tanglewood/Trailwood	50	SE corner sinking
1	2/9/2012	Tealwood 279	20	sinking
1	8/1/2011	Tealwood 283	40	sinking
1	8/1/2011	Tealwood 287	20	sinking
				sinking (temp. patch
1	9/7/2011	Timber Ridge 239-243	340	done by res.)
				sinking (2 temp.
1	8/10/2011	Timber Ridge 347	324	ramps installed)
1	3/24/2011	Tupelo 649	180	sinking
1	12/28/2011	Tupelo 920	40	sinking
				sinking/broken going
1	1/5/2012	Tupelo 925	45	to curb
1	4/23/2012	Tupelo 937	64	sinking
1	7/5/2012	Village Pkwy 926	52	sinking/broken
1	5/1/2012	Villawood 701	360	sinking front & side
1	3/30/2012	Villawood 713-717	332	sinking
1	11/30/2012	Villawood 724-728	160	sinking
				sinking around valve
1	4/20/2011	Wales Ct 482	96	stack
1	4/17/2012	Waterview 352	80	sinking
1	4/22/2012	Waterview 609	40	sinking/cracked
1	6/11/2010	Westminster Way 709	80	sinking
1	8/14/2012	Willow Ridge Ct 722	15	sinking
				sinking (Curb repaired
1	3/18/2011	Winding Hollow 110	60	in-house)
1	3/23/2012	Woodhurst 227	240	sinking
1	5/3/2011	Woodhurst 310	220	sinking
				sinking (temp. ramp
1	10/6/2011	Woodhurst 328	120	installed)
1	8/1/2011	Wrenwood 117	56	sinking
1	8/1/2011	Wrenwood 120	80	sinking
				sinking at property
1	8/1/2011	Wrenwood 124-128	60	line between houses
1	8/1/2011	Wrenwood 125	60	sinking
1	8/1/2011	Wrenwood 132	88	sinking
1	8/1/2011	Wrenwood 133	16	sinking

1 8/1/2011 Wrenwood 136

40 sinking