



### Company Information

Company Name: THE PLAYWELL GROUP

Remit To Address: 203A STATE HIGHWAY 46 EAST, BOERNE, TX. 78006

Physical Address: 203A STATE HIGHWAY 46 EAST, BOERNE, TX. 78006

Phone Number: 800-726-1816

Fax Number: \_\_\_\_\_

Contact Person: FRANK ZAMORA

E-mail Address: FRANK@PLAYWELLGROUP.COM

PlayWell Quote = Product  
\$252,255.60

PlayWorks Quote = Labor  
\$90,977.18

MacArthur Park Project Total =  
\$343,232.78



*Since 1988*

# *PlayWell*

Athletic, Park, and Playground Equipment

Arkansas | Colorado | Oklahoma | New Mexico | Texas

| Inclusive  
Playground Designs



203A State Highway 46 East, Boerne, TX 78006  
(972) 488-9355 or (800) 726-1816 | Fax (800) 560-9150

[www.playwellgroup.com](http://www.playwellgroup.com)



## Why PlayWell is Unique

---

PlayWell has been in business for 33 years and in the construction industry there is something to be said for that! And we believe the biggest reason for that is because of one word, INTEGRITY. We stand behind our work and we don't point fingers. Throughout the process we do our best to communicate updates with the customer and answer any questions they may have.

Our playground manufacturer, PlayCraft, is very unique and unlike any other manufacturer in our industry. On pages 3 & 4, I will show you why our quality specifications are above any of our competitors. PlayCraft has thicker powder coats, thicker plastics, higher UV ratings and higher quality decks. All of this leads to less cost of ownership to the customer over the lifespan of the equipment. My goal on page 3 and 4 is not to say we are better than anyone but to simply share specifications and exactly what we do to stand above with our Quality Craftsmanship.

**The PlayWell Group, Inc.**  
Toll Free: (800)726-1816 Fax: (505) 296-8900  
203A State Highway 46 East  
Boerne, TX 78006

**TERMS AND CONDITIONS**

**INVOICE TERMS**

Tax funded and bonded projects only, Net 30 days. All other entities required 50% down and balance Net 30. All past due amounts will be subject to a finance charge in accordance with the Texas Prompt Payment Act, Chapter 2251, Texas Government Code.

*Delay of Installation (if applicable): If the Customer delays the installation, the stored product will be invoiced with a term of Net 30.*

**OPEN ACCOUNT**

Credit terms are available to municipalities, government agencies, school systems, bonded contractors, and businesses (with prior approved credit). To establish credit your organization must have a satisfactory rating with Dun & Bradstreet and provide three credit references. To establish credit, your initial order must total at least \$10,000.00. 50% deposit is required on all orders from non-tax funded entities. Prepayment may be required for any order at The PlayWell Group, Inc. sole discretion.

**METHODS OF PAYMENTS**

CREDIT CARD FEE NOTICE: Effective July 1, 2023, a credit card usage fee of 3.5% will be applied to sales settled by credit card. No fees apply for payment by ACH, check, money order, and wire transfer. Sorry no C.O.D. orders.

**FEDERAL/STATE GOVERNMENT AND CO-OP'S CONTRACT**

Available for Federal/State Government, Co-Op's and agency accounts on many items. Call your Sales Consultant for information.

**SALES TAX**

Will be added to the invoice, except when a tax-exempt/resale certificate is furnished, or your entity qualifies in your state as tax exempt.

**FREIGHT CHARGES/DELIVERY TERMS**

All shipments are F.O.B factory, except where specifically stated otherwise. Delivery of materials is up to eight weeks from the order date, plus a few days for transit, unless otherwise noted. Every effort is made to comply with scheduled shipping dates: however, The PlayWell Group, Inc. is not liable for any loss or damage arising out of delay in delivery of any of its products due to causes beyond the control of the Company.

**DAMAGE/SHORTAGE CLAIMS**

All claims for concealed loss or damage to product must be noted on the Bill of Lading or delivery ticket and reported immediately to our Customer Service Department. All claims for product damage and shortage via common carrier must be promptly made by consignee (customer) direct to The PlayWell Group's Customer Service Department. When reporting damage, be sure to hold all containers and packing materials for inspection (claims should be filed within 15 days of receipt of shipment).

**RETURNS/CANCELLATIONS**

No merchandise is to be returned without first obtaining written authorization from The PlayWell Group, Inc. Please provide invoice number, date and reason for your return. Any authorized merchandise must be carefully packed and in saleable condition to be accepted for return. A 25% (of list price) re-stocking charge plus freight to and from the manufacturer applies on all returned merchandise when error is not the fault of The PlayWell Group. All returned merchandise must be shipped insured and freight prepaid. Orders cancelled prior to shipment will be charged 10% of list price. Once the material has been installed, no refund will be granted.

**FREIGHT CARRIER INFORMATION**

All freight is shipped unassembled via common carrier. Made via common carrier to the end user, the customer is responsible for unloading all deliveries.

**INSTALLATION**

Installation/Prices are not included on this Quotation. A separate installation quotation must be included with your order if installation is required.

**PLAYGROUND SURFACING WARNING**

All play equipment must be installed over impact absorbing surface. Go to [www.cpsc.gov](http://www.cpsc.gov) for more information.

**SITE ACCESS FOR SURFACING MATERIALS/INSTALL**

It is highly preferred that a level site is free of any obstacles that encroach upon the required fall zone for your design. The site access must have a maximum of 25' for accessibility by heavy machinery (trucks, trailers, and Bobcats).

Poured-in-place rubber, artificial turf, and tile installation require 6' high chain link fence during installation and a 24 hour cure time. This will be provided by the owner unless explicitly stated in writing on the quote. Any damage during installation or during the cure time may be repaired and if so at the expense of the owner. This includes, but not limited to people and/or wildlife walking on the pad prior to a full cure.

Irrigation sprinklers and/or water systems must be shut off 24 hours before install of surfacing and remain off for an additional 24 hours after.

**NOT INCLUDED FOR THE SURFACING MATERIALS/INSTALLS**

Site security, bonding, permits or licenses, site preparation, excavation, sub base, concrete, compaction of aggregate, curbing, drainage, fencing, dumpster, demolition, trash removal, tenting or artificial heating due to weather, and roll coat maintenance.

**WEATHER DELAY**

Unusual weather patterns, heavy rain, lightning or thunder conditions, and flooding 'acts of God' or natural disaster, wherein the project site is determined to be unworkable. The installation of your surfacing will be delayed.



**ESCALATOR CLAUSE**

Due to the current volatility of the surfacing raw material and shipping and labor, expired proposals may be subject to a price increase. Please contact your Sales Rep for current pricing, if applicable.

**PRODUCT WILL BE ORDERED IMMEDIATELY UPON RECEIPT OF WRITTEN APPROVALS. Please email or fax all pages.**

**Sales Quote #:** 25266 **Purchase Order #:** \_\_\_\_\_

**Signature:** \_\_\_\_\_ **Date:** \_\_\_\_\_





www.playwellgroup.com  
800-726-1816  
505-296-8900 (fax)

QUOTATION	
QUOTE # 25266	02/10/2025

Athletic, Park, and Playground Equipment  
Serving Colorado, Texas, New Mexico, Oklahoma, and Arkansas since 1988

BILL TO:
City of Coppell Accounts Payable 255 Parkway Boulevard Coppell, TX 75019  Phone: (972) 304-3571

SHIP TO:
City of Coppell-MacArthur Park Recreation Installation-David Robertson 37175 I-10 West Boerne, TX 78006  Phone: (210) 740-1175

CUST. PO #	TERMS	SALES REP	COUNTY		QUOTE EXPIRATION
	NET 30	FAZ	DALLAS		03/10/2025
ITEM	DESCRIPTION	QTY	LIST PRICE	DISC. PRICE	TOTAL
BUY #679-22	BUYBOARD CONTRACT #679-22 EXPIRES 09/30/2025	1	0.00	0.00	0.00
PR-R35	PLAYCRAFT PLAYCRAFT SYSTEMS R35 CUSTOM PLAY SYSTEM / 5-12	1	115213.10	109,452.45	109,452.45
PR-R5	PLAYCRAFT SYSTEMS R5 CUSTOM PLAY SYSTEM - COGNITIVE	1	6432.53	6,110.90	6,110.90
PR-R5	PLAYCRAFT SYSTEMS R5 CUSTOM PLAY SYSTEM - DYNAMIC	1	7328.84	6,962.40	6,962.40
PR-R5	PLAYCRAFT SYSTEMS R5 CUSTOM PLAY SYSTEM - PLAYFUL	1	6590.88	6,261.34	6,261.34
TD-IG-N-RNBW	TUNED DRUMS RAINBOW LIDS (INGROUND)	1	4501.22	4,276.16	4,276.16
MBA-IG-REC	IMBARIMBA WITH PLASTIC POST, IN-GROUND	1	6457.37	6,134.50	6,134.50
SHIP	SHIPPING & HANDLING	1	11408.96	11,408.96	11,408.96
MS-55X55	MODERN SHADE MODERN SHADE 4-POST HIP SUPER SHADE STRUCTURE / 55' X 55' X 14' / BOLT DOWN / 30" X 10' PIER W/ 9 #6 VERTICALS; #3 RINGS @ 12" O.C.	1	47060.00	44,707.00	44,707.00
SED MODERN	SEALED ENGINEERED DRAWINGS	1	1000.00	950.00	950.00
SHIP	SHIPPING & HANDLING	1	1905.14	1,905.14	1,905.14
PERMITS	PERMITTING No permitting or windstorm engineering for permitting is included unless specifically noted.	1	0.00	0.00	0.00
	PLAYWELL SURFACING				





The PlayWell Group, Inc.

Athletic, Park, and Playground Equipment  
Serving Colorado, Texas, New Mexico, Oklahoma, and Arkansas since 1988

www.playwellgroup.com  
800-726-1816  
505-296-8900 (fax)

QUOTATION	
QUOTE # 25266	02/10/2025

BILL TO:
City of Coppell Accounts Payable 255 Parkway Boulevard Coppell, TX 75019  Phone: (972) 304-3571

SHIP TO:
City of Coppell-MacArthur Park Recreation Installation-David Robertson 37175 I-10 West Boerne, TX 78006  Phone: (210) 740-1175

CUST. PO #	TERMS	SALES REP	COUNTY		QUOTE EXPIRATION
	NET 30	FAZ	DALLAS		03/10/2025
ITEM	DESCRIPTION	QTY	LIST PRICE	DISC. PRICE	TOTAL
PIP-PLAYWELL	PLAYWELL SURFACING 3.5" PIP SYSTEM - 50/50 STANDARD COLOR / AROMATIC BINDER (WILL AMBER)	1,300	20.45	19.43	25,259.00
PIP-PLAYWELL	PLAYWELL SURFACING 3" PIP SYSTEM - 50/50 STANDARD COLOR / AROMATIC BINDER (WILL AMBER)	1,425	20.45	19.43	27,687.75
PIP DUMPSTER-P...	DUMPSTER FOR INSTALLATION WASTE DISPOSAL	1	1200.00	1,140.00	1,140.00

QUOTE VALID FOR 30 DAYS. Product will be ordered upon receipt of written approvals and/or deposit. Please email or fax all pages.  
PLEASE REMIT YOUR DEPOSIT TO:

THE PLAYWELL GROUP, INC.  
203A STATE HIGHWAY 46 EAST  
BOERNE, TX 78006

Date \_\_\_\_\_ Signature \_\_\_\_\_

CREDIT CARD FEE NOTICE: Effective July 1, 2023, a credit card usage fee of 3.5% will be applied to sales settled by credit card. No fees apply to payment by ACH, check, money order, and wire transfer. Sorry no C.O.D. orders

<b>SUBTOTAL</b>	<b>\$252,255.60</b>
<b>SALES TAX (0.0%)</b>	<b>\$0.00</b>
<b>TOTAL</b>	<b>\$252,255.60</b>



**PlayWorks, Inc.**  
**Toll Free: (800)726-1816 Fax: (505) 296-8900**  
203A State Highway 46 East  
Boerne, TX 78006

**TERMS AND CONDITIONS**

**INVOICE TERMS**

Tax funded and bonded projects only Net 30 days. Finance charge of 1.5% per month or maximum allowable by law will be added to past due balance. All other entities required 50% down and balance due upon completion.

**OPEN ACCOUNT**

Credit terms are available to municipalities, government agencies, school systems, bonded contractors, and businesses (with prior approved credit). To establish credit your organization must have a satisfactory rating with Dun & Bradstreet and provide three credit references. To establish credit, your initial order must total at least \$10,000.00. 50% deposit is required on all orders from non-tax funded entities. Prepayment may be required for any order at PlayWorks, Inc. sole discretion.

**METHODS OF PAYMENTS**

**CREDIT CARD FEE NOTICE:** Effective July 1, 2023, a credit card usage fee of 3.5% will be applied to sales settled by credit card. No fees apply for payment by ACH, check, money order, and wire transfer. Sorry no C.O.D. orders.

**CO-OP CONTRACT'S**

Available for Co-Op's and agency accounts on many items.

**PLAYGROUND SURFACING WARNING**

All play equipment must be installed over impact absorbing surface. Go to [www.cpsc.gov](http://www.cpsc.gov) for more information.

**CONCEALED CONDITIONS—ROCKS, UTILITIES, IRRIGATION, SEWER & DRAIN, SUPPLY ABANDONED LINES**

PlayWorks Inc., reserves the right to charge for additional manpower and equipment rental if subcontractors encounter rock that cannot be penetrated to drill installation holes with a mechanical auger. Other concealed conditions may include but are not limited to power and electrical lines, water and gas lines, irrigation lines, sewer lines, drain lines and any and all abandoned lines. Marking utilities and other subsurface lines are the responsibility of the end user. If any lines are damaged, all costs associated with the repairing the line are the sole costs of the end user. Any associated loses are the responsibility of the end user. PlayWell's Sales Associates will notify you and meet with you at the work site to review the conditions requiring additional charges.

**SITE ACCESS**

First off, you'll need a level site to make it free of any obstacles that might encroach upon the required fall zone for your design. Dig-Tess (1(800) Dig-Tess) will call all the possible utility companies that may have underground cables or piping running beneath the play area to mark where their runs might be. The site for equipment to be installed must be accessible by heavy machinery (trucks, trailers, and Bobcats). In the event this equipment is used at your site, please note there may be signs of access afterwards. PlayWorks, Inc. subcontractors will try to keep this to a minimum.

**WEATHER DELAY**

Unusual weather patterns, heavy rain, lightning or thunder conditions, and flooding "acts of God" or natural disaster, wherein the project site is determined to be unworkable. The installation of your equipment will be delayed.

**INSTALLATION WILL BE ORDERED IMMEDIATELY UPON RECEIPT OF WRITTEN APPROVALS. Please email or fax all pages.**

Installation Quote #: 12285 Purchase Order #: \_\_\_\_\_

Signature: \_\_\_\_\_ Date: \_\_\_\_\_

## INSTALLATION QUOTE

QUOTE #  
12285

02/10/2025

Athletic, Park, and Playground Equipment  
 Serving Colorado, Texas, New Mexico, Oklahoma, and Arkansas since 1988

### BILL TO:

City of Coppell-MacArthur Park  
 Accounts Payable  
 255 Parkway Boulevard  
 Coppell, TX 75019


Phone: (972) 462-5102

### INSTALLATION SITE:

City of Coppell-MacArthur Park  
 David Ellison  
 400 South MacArthur Boulevard  
 Coppell, TX 75019

Phone: (972) 304-3643

CUST. PO#	TERMS	SALES REP	COUNTY	QUOTE EXPIRATION
	NET 30	FAZ	DALLAS	03/10/2025
ITEM	DESCRIPTION	QTY	LIST PRICE	TOTAL
BUY #679-22	BUYBOARD CONTRACT #679-22 EXPIRES 09/30/2025	1	0.00	0.00
INSTALL-REC	DELIVERED AND INSTALLED BY RECREATION INSTALLATION OF PLAYCRAFT SYSTEMS R35 CUSTOM PLAY SYSTEM / 5-12 / PER MANUFACTURER SPECIFICATIONS	1	37,924.00	37,924.00
INSTALL-REC	INSTALLATION OF PLAYCRAFT SYSTEMS R5 CUSTOM PLAY SYSTEM - COGNITIVE / PER MANUFACTURER SPECIFICATIONS	1	2,117.36	2,117.36
INSTALL-REC	INSTALLATION OF PLAYCRAFT SYSTEMS R5 CUSTOM PLAY SYSTEM - DYNAMIC / PER MANUFACTURER SPECIFICATIONS	1	2,412.39	2,412.39
INSTALL-REC	INSTALLATION OF PLAYCRAFT SYSTEMS R5 CUSTOM PLAY SYSTEM - PLAYFUL / PER MANUFACTURER SPECIFICATIONS	1	2,169.48	2,169.48
INSTALL-REC	INSTALLATION OF FREENOTES HARMONY PARK TUNED DRUMS (IG, RAINBOW LIDS) / PER MANUFACTURER SPECIFICATIONS	1	1,481.64	1,481.64
INSTALL-REC	INSTALLATION OF FREENOTES HARMONY PARK IMBARIMBA W/ PLASTIC POSTS (IG) / PER MANUFACTURER SPECIFICATIONS	1	2,125.53	2,125.53
INSTALL-REC	INSTALLATION OF MODERN SHADE 4-POST HIP SUPER SHADE STRUCTURE / 55' X 55' X 14' / BOLT DOWN / 30" X 10' PIER W/ 9 #6 VERTICALS; #3 RINGS @ 12" O.C. / PER MANUFACTURER SPECIFICATIONS	1	28,664.69	28,664.69





## INSTALLATION QUOTE

QUOTE #  
12285

02/10/2025

### BILL TO:

City of Coppell-MacArthur Park  
Accounts Payable  
255 Parkway Boulevard  
Coppell, TX 75019

Phone: (972) 462-5102

### INSTALLATION SITE:

City of Coppell-MacArthur Park  
David Ellison  
400 South MacArthur Boulevard  
Coppell, TX 75019

Phone: (972) 304-3643

CUST. PO#	TERMS	SALES REP	COUNTY	QUOTE EXPIRATION
	NET 30	FAZ	DALLAS	03/10/2025
ITEM	DESCRIPTION	QTY	LIST PRICE	TOTAL
DEMO-REC	REMOVE AND DISPOSE OF 2,725SF OF EXISTING POURED IN PLACE SAFETY SURFACING	2,725	2.47	6,730.75
DEMO-REC	REMOVE AND DISPOSE OF EXISTING PLAY STRUCTURES	1	7,351.34	7,351.34
PERMITS	PERMITTING No permitting or windstorm engineering for permitting is included unless specifically noted.	1	0.00	0.00
ROCK & CONCEALED	ROCK AND CONCEALED CONDITIONS CLAUSE PlayWorks, Inc. reserves the right to charge for additional manpower and equipment rental if subcontractors encounter rock or other concealed conditions that cannot be penetrated to drill installation holes with a mechanical auger or concealed conditions that prohibit drilling. Every effort will be made prior to installation to determine if additional rock charges or charges related to concealed conditions may be required. PlayWell's Sales Associate will notify you and meet with you at the work site to review the conditions requiring additional charges.	1	0.00	0.00

**QUOTE VALID FOR 30 DAYS. Install will be ordered upon receipt of written approvals and/or deposit.**

**TOTAL \$90,977.18**


**PLEASE REMIT PAYMENT TO:  
PLAYWORKS, INC.  
203A STATE HIGHWAY 46 EAST  
BOERNE, TX 78006**



Date \_\_\_\_\_ Signature \_\_\_\_\_

**CREDIT CARD FEE NOTICE: Effective July 1, 2023, a credit card usage fee of 3.5% will be applied to sales settled by credit card. No fees apply to payment by ACH, check, money order, and wire transfer. Sorry no C.O.D. orders**





PlayWell

MacArthur Park


































# MACARTHUR PARK TOP VIEW

## ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
15	13/8	0/0	15/5	8/3
CHILD CAPACITY	173	MAX FALL HEIGHT	96	


FOR KIDS  
AGES  
5-12

R35

### GENERAL NOTES

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

**WARNING:** Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



STRUCTURE # 5 12  
PROJECT # 752237\_1B  
DATE 1/11/2024

The PlayWell Group, Inc.  
MIN. USE ZONE 60' x 54' (18.274m x 16.207m)





**MACARTHUR PARK  
TOP VIEW**

**ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE**

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
0	0/0	0/0	6/0	7/0
CHILD CAPACITY	5	MAX FALL HEIGHT	0	

**R5**

FOR KIDS  
AGES  
5-12

**GENERAL NOTES**

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

**WARNING:** Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4.: Surfacing.

Sensory  
Play Wall  
Cognitive



STRUCTURE # COG  
PROJECT # 752237\_1B  
DATE 11/15/2024

**The PlayWell Group, Inc.**  
MIN. USE ZONE 0' x 0' (0m x 0m)





**MACARTHUR PARK  
TOP VIEW**

**ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE**

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
0	0/0	0/0	5/0	6/0
CHILD CAPACITY	5	MAX FALL HEIGHT	0	

**R5**

FOR KIDS  
AGES  
5-12

**GENERAL NOTES**

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

**WARNING:** Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.

**Sensory  
Play Wall  
Dynamic**



STRUCTURE # DYN  
PROJECT # 752237\_1B  
DATE 11/15/2024

**The PlayWell Group, Inc.**  
MIN. USE ZONE 0' x 0' (0m x 0m)





# MACARTHUR PARK TOP VIEW

## ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
0	0/0	0/0	5/0	6/0
CHILD CAPACITY	MAX FALL HEIGHT			
5	0			

**R5**

FOR KIDS  
AGES  
5-12

### GENERAL NOTES

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

**WARNING:** Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



Sensory  
Play Wall  
Playful

STRUCTURE # PLAY  
PROJECT # 752237\_1B  
DATE 11/15/2024

The PlayWell Group, Inc.  
MIN. USE ZONE 0' x 0' (0m x 0m)





**MACARTHUR PARK  
TOP VIEW**


**ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE**

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
0	0/0	0/0	1/0	1/0
CHILD CAPACITY	0	MAX FALL HEIGHT	0	

**GENERAL NOTES**

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

**WARNING:** Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



**TD-IG-N-RNBW  
TUNED  
DRUMS**

STRUCTURE # DRUMS  
PROJECT # 752237\_1B  
DATE 11/15/2024

**The PlayWell Group, Inc.**  
MIN. USE ZONE 0' x 0' (0m x 0m)





**MACARTHUR PARK  
TOP VIEW**

**ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE**

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
0	0/0	0/0	1/0	1/0
CHILD CAPACITY	0	MAX FALL HEIGHT	0	

**GENERAL NOTES**

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

**WARNING:** Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



**MBA-IG-REC  
IMBARIMBA  
w/ PLASTIC  
POST**

STRUCTURE # IMBARIMBA  
PROJECT # 752237\_1B  
DATE 11/15/2024

**The PlayWell Group, Inc.**  
MIN. USE ZONE 0' x 0' (0m x 0m)





**MACARTHUR PARK  
SITE PLAN**

**ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE**

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
15	13/8	0/0	33/5	29/3


**Mixed Types**  
FOR KIDS AGES 5-12

**GENERAL NOTES**

This Preliminary Site Plan is based on measurements that were provided in the initial planning phase. All dimensions must be verified prior to the submission of a purchase order. Playcraft Systems will not be held responsible for any discrepancies between actual dimensions and dimensions submitted in the planning phase.

The Minimum Use Zone for a play structure is based on the product design at the time of proposal. Components and structure designs may be subject to change which may affect dimensions. Therefore, before preparing the site, we strongly recommend obtaining final drawings from the factory (available after the order is placed and included in the Assembly Manual).

**WARNING:** Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



PROJECT # 752237\_1B  
DATE 11/15/2024


**The PlayWell Group, Inc.**  
MIN. USE ZONE 49' x 57' (14.884m x 17.272m)





**MACARTHUR PARK  
SW VIEW**

**R35**  
FOR KIDS  
AGES  
5-12




STRUCTURE # 5 12  
PROJECT # 752237\_1B  
DATE 11/15/2024



**MACARTHUR PARK  
SE VIEW**

**R35**  
FOR KIDS  
AGES  
5-12




STRUCTURE # 5 12  
PROJECT # 752237\_1B  
DATE 11/15/2024



**MACARTHUR PARK  
NE VIEW**

**R35**  
FOR KIDS  
AGES  
5-12




STRUCTURE # 5 12  
PROJECT # 752237\_1B  
DATE 11/15/2024



**MACARTHUR PARK  
NW VIEW**

**R35**  
FOR KIDS  
AGES  
5-12




STRUCTURE # 5.12  
PROJECT # 752237\_1B  
DATE 11/15/2024



**MACARTHUR PARK  
SW VIEW**


**R5**  
FOR KIDS  
AGES  
5-12



STRUCTURE # COG  
PROJECT # 752237\_1B  
DATE 11/15/2024

**MACARTHUR PARK  
NW VIEW**

**R5**  
FOR KIDS  
AGES  
5-12



STRUCTURE # COG  
PROJECT # 752237\_1B  
DATE 11/15/2024



**MACARTHUR PARK  
SE VIEW**


**R5**  
FOR KIDS  
AGES  
5-12



STRUCTURE # DYN  
PROJECT # 752237\_1B  
DATE 11/15/2024

**MACARTHUR PARK  
NW VIEW**

**R5**  
FOR KIDS  
AGES  
5-12




STRUCTURE # DYN  
PROJECT # 752237\_1B  
DATE 11/15/2024



**MACARTHUR PARK**  
**SW VIEW**

**R5**


FOR KIDS  
AGES  
5-12



STRUCTURE # PLAY  
PROJECT # 752237\_1B  
DATE 11/15/2024

**MACARTHUR PARK  
NE VIEW**


**R5**  
FOR KIDS  
AGES  
5-12



STRUCTURE # PLAY  
PROJECT # 752237\_1B  
DATE 11/15/2024




**MACARTHUR PARK  
SE VIEW**



STRUCTURE # DRUMS  
PROJECT # 752237\_1B  
DATE 11/15/2024


**MACARTHUR PARK  
NW VIEW**



STRUCTURE # DRUMS  
PROJECT # 752237\_1B  
DATE 11/15/2024




**MACARTHUR PARK  
SW VIEW**



STRUCTURE # IMBARIMBA  
PROJECT # 752237\_1B  
DATE 11/15/2024

**MACARTHUR PARK  
NE VIEW**



**STRUCTURE #** IMBARIMBA  
**PROJECT #** 752237\_1B  
**DATE** 11/15/2024



**MACARTHUR PARK**

**Project # 752237\_1B**

**Date 11/15/2024**

<b>Item / Part Number</b>	<b>Description</b>	<b>Qty</b>
<b>[5 12]</b>		
HS-1004-R35	Collars	118
A2-2321-28H	FLEX Ball, 28in Half	2
A2-2430	Boardwalk, Curved (90 Degree)	1
GG-8135	Dome Cap, R3.5	33
S-1009-R35-09ft	Post, 09ft R3.5	5
S-1010-R35-10ft	Post, 10ft R3.5	2
S-1011-R35-11ft	Post, 11ft R3.5	9
S-1012-R35-12ft	Post, 12ft R3.5	1
S-1013-R35-13ft	Post, 13ft R3.5	11
S-1014-R35-14ft	Post, 14ft R3.5	2
S-1015-R35-15ft	Post, 15ft R3.5	3
S-1101-R35	Square Deck	5
S-1102-R35	Tri-Deck	5
S-1110-R	Filler, 12in	1
S-1209-24-R35	Transfer Station, 36in-L	1
S-1211-R35	Filler, Half-Walls Included (24in)	1
S-1216-2	Climber, Grip 18-24in	1
S-1233-2-HW	Climber, Disc 18-24in (w/ HW)	1
S-1233-4-MC	Climber, Disc 42-48in	1
S-1233-6-HW	Climber, Disc 66-72in (w/ HW)	1
S-1234-7R35	Climber, Spiral Step 78-84in	1
S-1237-6R35	Climber, Vertical Rock 66-72in	1
S-1240-8	Climber, Terrace 90-96in	1
S-1248-7	Climber, Poly Climbing Wall 78-84in	1
S-1249-DDH2R35	Geo-Wave Link 24in (Horiz, Incl. DTD Left)	1
S-1269-R35	Climber, Twist	1
S-1283-R35	Climber, Matrix Rope Net Wall	1
S-1289-6R35	Climber, Cliffhanger 72-78in	1
S-1290-D2-R35	Climber, Boulder Stack 42-48in	1
S-1309-2-R35	Half Walls (Pair) R35	5
S-1316-R35	Twister Entry Panel	1
S-1403-R35	End Access Ladder (3-Rung)	1
S-1414	Lily Pad Seat	1
S-1414-4HHR35	Climber, Step-Up 48in (Lily-Pad, Hand Rails)	1
S-1429-R35	Traverse, Horizontal Ladder (90 deg)	1
S-1509-84R35	Bridge, Burma (84in)	1

<b>Item / Part Number</b>	<b>Description</b>	<b>Qty</b>
S-1514-84R35	Bridge, Inclined Arch (84in)	1
S-1514-R35	Bridge, Inclined Arch	2
S-1528-R35	Link, Angled Net (90in)	1
S-1608-R35G	Memory Panel	1
S-1627-R35G	Abacus Panel	1
S-1639-R35	Clubhouse (Left)	1
S-1644-R35	Gear Panel	1
S-16520-R35I	Composer Panel	1
S-1685-R35	Mosaic Panel	1
S-1706-S6L-R35	Slide, Twister Spiral 72 (L)	1
S-1707-8SPR35	Slide, Tube 96in (Spiral, Left)	1
S-1710-6-RSS	Slide, Twister 72in (R-S2)	1
S-1937-R35	Crunch Handle	1
S-1963-R35	Playseat (Single Post)	1
<b>COG</b>		
HS-1004-R	Collars	4
GF-7002	Dome Cap, R5	2
S-1007-R5-07ft	Post, 07ft R5	2
S-1981-SWC	Sensory Play Wall (Cognitive)	1
<b>DYN</b>		
HS-1004-R	Collars	4
GF-7002	Dome Cap, R5	2
S-1007-R5-07ft	Post, 07ft R5	2
S-1981-SWD	Sensory Play Wall (Dynamic)	1
<b>PLAY</b>		
HS-1004-R	Collars	4
GF-7002	Dome Cap, R5	2
S-1007-R5-07ft	Post, 07ft R5	2
S-1981-SWP	Sensory Play Wall (Playful)	1
<b>DRUMS</b>		
TD-IG-N-RNBW	Tuned Drums (IG, Rainbow Lids)	1
<b>IMBARIMBA</b>		
MBA-IG-REC	Imbarimba w/ Plastic Post (IG)	1



# 2024 COMMERCIAL PLAYGROUND EQUIPMENT SPECIFICATIONS



A **PLAYCORE** Company

123 North Valley Drive - Grants Pass, OR 97526  
Tel: 1-541-955-9199 Fax: 1-541-955-6130



Playcraft Systems' commitment to craftsmanship and commitment extends throughout all product offerings. Utilizing superior materials and industry leading manufacturing techniques, our Round 5, Round 3.5, Revolution, and Freestanding Events are tested and validated to be in conformance with ASTM F1487 and CSA Z614-14 Standards.

## GENERAL SPECIFICATIONS (Playground Equipment)

**Hardware/Fasteners** all metal hardware shall be stainless steel, zinc plated, or galvanized as required to resist rust and corrosion. Pinned tamper resistant hardware with thread lock patch shall be used for all principal connections. Hardware Caps shall be a UV-Stabilized, polypropylene based plastic consisting of two parts, a base and crown. Specified hardware is attached through the base to post support and finished with a crown to form a smooth tamper-resistant attachment point. All hardware shall be shipped in individual component-specific hardware packages.

**Rotationally Molded Polyethylene** shall be manufactured from hot compounded linear low-density polyethylene resins. Hot compounded polyethylene resins include UV inhibitors and anti-static additives providing superior performance, durability, fade resistance (tested to a long term UV16 rating), and a more uniform, colorfast appearance and thickness. All rotationally molded, low-density polyethylene plastic components shall be available in a variety of colors and have an average wall thickness of .250". All components shall comply with ASTM D 638-02 (minimum 2500 PSI tensile strength), ASTM D-790 (Flex Modulus Test), ASTM D-648 (Heat Distortion Temperature Test), ARM-STD (Low Temperature Impact Test).

**High Density Polyethylene - (HDPE) Sheet Stock Parts** All HDPE components shall be manufactured from 1", 3/4", and 1/2" thick, high-density, hot extruded polyethylene sheet plastic specially formulated for optimum UV stability and color retention. Components shall be cut or machined to size with routed design elements and available in a variety of solid or dual-colors. All HDPE components shall comply with ASTM D1505 (density of .955 g/cc), ASTM D638 (tensile strength of 4000 PSI), D790 (Flex Modulus Test), and D648 (Heat Distortion Temperature Test).

**Powder Coating** all steel, aluminum, and die cast components shall be thoroughly prepared prior to receiving final powder coat finish. Preparation includes quality inspection of every component and connection, grinding and hand filing of each weld to remove excess material and spatter, cleansing in a multi-step process which includes a hot phosphatizing bath and rinse followed by a non-chrome seal for added corrosion resistance. Components shall be preheated and fully dried prior to receiving a 3-5 mil thick electrostatically applied epoxy primer coating (covering entire component - not just welds) for superior powder adhesion and corrosion resistance. An 8-11 mil thick architectural grade Super Durable polyester TGIC powder shall be electrostatically applied and baked achieving a thickness of 11-16 mils. All polyester powder coatings shall comply with ASTM standards: D-522 (Flexibility Mandrel Test), D-2794 (Impact Resistance Test), B-117 (Salt Spray Weatherability Test), D-3363 (Pencil Hardness Test), D-2454 (Overbake Resistance Test), D-3359B (Adhesion Crosshatching Test). Powder coatings are available in a variety of colors.

**PlayTuff™ Coating** shall be applied to specific metal components with a 120-160 mil thickness. Prior to PlayTuff™ coating, components shall be thoroughly prepared and cleaned in a multi-stage phosphatizing wash, followed by a uniform application of Playcraft formulated primer. Upon preheating to a minimum of 350 degrees, components shall be dipped in a UV stabilized Polyvinyl Chloride liquid followed by a 400 degree salt cured bath. All Play-Tuff™ Coated Parts shall comply with ASTM D-624 (Tear Strength Test), ASTM D-412 (Tensile Strength Test). PlayTuff™ Coatings shall provide a slip resistant surface and are available a variety of colors.

**Tubular Steel and Metal Components** shall be heavy-gauge and pre-galvanized including internal corrosion protection. Tube shall be formed and/or fabricated into required components and finished as specified. All tubular steel components shall comply with ASTM standards: A-500/A-513 (Steel Tubing). Prior to receiving Powder Coating or PlayTuff™ Coating, all metal components shall be zinc plated, cadmium plated, or galvanized to resist rust and corrosion.

**Steel Walls** shall be fabricated using 1.029" O.D. 14 gauge tube steel welded vertically on 4" centers between vertical 1.315" O.D. 12 gauge tube steel balusters and horizontal 1.315" O.D. 12 gauge tube steel rails, top & bottom. Brackets may be welded to the ends of each rail and between the verticals to provide attachment points. Walls shall be finished with a multi-stage baked-on powder coat finish.

**Vertical Deck Fillers** shall be designed to eliminate the crawl space between decks at different elevations. All deck in-fills shall be made from 12 gauge sheet steel and powder coated after fabrication.

**Punched Steel Surfaces** steel decks, bridges, ramps, and steps shall be constructed using heavy duty, single piece 12-gauge low carbon sheet steel which shall be formed and fabricated into required designs. Below surface supporting gussets shall be fabricated utilizing 12 gauge sheet steel to insure structural integrity. All punched steel standing surfaces and steps shall receive slip-resistant PlayTuff™ coating with a thickness of 120-160 mils and a uniform 5/16" diameter hole pattern. Deck faces shall have up to 6 attachment slots to accommodate face mounting components. There shall be no unsupported area larger than 1.5 square feet on all deck surfaces. All sheet steel shall conform to ASTM A1011-02.

**Post Caps** shall be precision die-cast from high strength A-369.1 aluminum alloy and powder coated as specified. Post caps to include Playcraft Systems' exclusive self-sealing design with an overlapping lip (Factory installed and secured in place)

**King Collars™** shall be precision die-cast from high strength A-369.1 aluminum alloy and powder coated as specified. King Collars™ to include Playcraft Systems' exclusive dove tail design and face to face connection eliminating string entanglements and extra hardware. King Collars™ shall exhibit a tensile strength of 47,000 PSI and a yield strength of 28,000 PSI.

**Climbing Grips** shall be precision die-cast from high strength A-369.1 aluminum alloy and coated in a functionalized polyethylene copolymer thermoplastic coating. All thermoplastic coatings shall comply with ASTM standards: ASTM B 2794 (Impact Resistance Test), B-117 (Salt Spray Weatherability Test), ASTM D-638 (Tensile Strength Test). A-369.1 aluminum alloy shall exhibit a tensile strength of 47,000 PSI and a yield strength of 28,000 PSI.

**Chain Swings, Chain Nets, Chain Walks and Suspension Bridges** shall be 4/0 and/or 5/0 galvanized steel. Chains shall be coated in PlayTuff™ coating coated as required.

**Steel-reinforced ropes** shall be manufactured with tightly woven, polyester-wrapped, six-stranded galvanized steel cable. Ropes are extremely durable, vandal and abrasion resistant, color stable, and available in a variety of colors.





**ROUND-5 PLAY SYSTEM - GENERAL SPECIFICATIONS:**

<b>Aluminum Post Mechanical Properties:</b>	
<b>Yield Strength (min):</b>	35,000 PSI
<b>Tensile Strength (min):</b>	38,000 PSI
<b>% Elongation in 2 Inches:</b>	10
<b>Modulus of Elasticity:</b>	10 x 10 <sup>6</sup> PSI

**Round-5 Aluminum Posts** shall be constructed of 5" O.D. round 6061-T6 aluminum tubing with a .125" wall thickness. Each post shall be thoroughly prepared prior to receiving final powder coat finish. All post shall include a self-sealing post cap. Post bases shall include a footing pin for securing posts in cement and shall include a minimum loose fill resilient surfacing sticker to be field installed as required. All aluminum posts shall exhibit the following mechanical properties: Tensile Strength of 38,000 PSI (minimum), Yield Strength of 35,000 PSI (minimum). All posts shall be available in a variety of colors.

<b>Steel Post Mechanical Properties:</b>	
<b>Yield Strength (min):</b>	50,000 PSI
<b>Tensile Strength (min):</b>	55,000 PSI
<b>% Elongation in 2 Inches:</b>	25
<b>Modulus of Elasticity:</b>	30 x 10 <sup>6</sup> PSI

**Round-5 Steel Posts** shall be constructed of 5" O.D. round 11-gauge steel tubing and shall receive a galvanized Flo-Coat inside and out after rolling. Each post shall be thoroughly prepared prior to receiving final powder coat finish. All posts shall include a self-sealing post cap. Post bases shall include a footing pin for securing posts in cement and shall include a minimum loose fill resilient surfacing sticker to be field installed as required. All steel posts shall exhibit the following mechanical properties: Tensile Strength of 55,000 PSI (minimum), Yield Strength of 50,000 PSI (minimum). All posts shall be available in a variety of colors.

**Round-5 Attachment Fittings (King Collars™ and Sockets)** shall be two-part and precision die-cast from high strength 369.1 aluminum alloy with an ultimate tensile strength of 47,000 PSI and a yield strength of 28,000 PSI. Separate sockets when combined with collars form a unique and versatile method of component-to-post attachment, allowing multiple component attachment points for a cleaner, more balanced design. King Collars™ and Sockets shall be powder coated and available in a variety of colors.

**Round-5 Play System Footing Requirements** shall vary depending on deck heights, components, and events attached to the structure. Most Round-5 components and posts are available for surface or in-ground mounting.



**ROUND-3.5 PLAY SYSTEM - GENERAL SPECIFICATIONS:**

<b>Aluminum Post Mechanical Properties:</b>	
<b>Yield Strength (min):</b>	35,000 PSI
<b>Tensile Strength (min):</b>	38,000 PSI
<b>% Elongation in 2 Inches:</b>	10
<b>Modulus of Elasticity:</b>	10 x 10 <sup>6</sup> PSI

**Round-3.5 Aluminum Posts** shall be constructed of 3-1/2" O.D. round 6061-T6 aluminum tubing with a .125" wall thickness. Each post shall be thoroughly prepared prior to receiving final powder coat finish. All post shall include a self-sealing post cap. Post bases shall include a footing pin for securing posts in cement and shall include a minimum loose fill resilient surfacing sticker to be field installed as required. All aluminum posts shall exhibit the following mechanical properties: Tensile Strength of 38,000 PSI (minimum), Yield Strength of 35,000 PSI (minimum). All posts shall be available in a variety of colors.

<b>Steel Post Mechanical Properties:</b>	
<b>Yield Strength (min):</b>	50,000 PSI
<b>Tensile Strength (min):</b>	55,000 PSI
<b>% Elongation in 2 Inches:</b>	25
<b>Modulus of Elasticity:</b>	30 x 10 <sup>6</sup> PSI

**Round-3.5 Steel Posts** shall be constructed of 3-1/2" O.D. round 11-gauge steel tubing and shall receive a galvanized Flo-Coat inside and out after rolling. Each post shall be thoroughly prepared prior to receiving final powder coat finish. All posts shall include a self-sealing post cap. Post bases shall include a footing pin for securing posts in cement and shall include a minimum loose fill resilient surfacing sticker to be field installed as required. All steel posts shall exhibit the following mechanical properties: Tensile Strength of 55,000 PSI (minimum), Yield Strength of 50,000 PSI (minimum). All posts shall be available in a variety of colors.

**Round-3.5 Attachment Fittings (King Collars™ and Sockets)** shall be two-part and precision die-cast from high strength 369.1 aluminum alloy with an ultimate tensile strength of 47,000 PSI and a yield strength of 28,000 PSI. Separate sockets when combined with collars form a unique and versatile method of component-to-post attachment, allowing multiple component attachment points for a cleaner, more balanced design. King Collars™ and Sockets shall be powder coated and available in a variety of colors.

**Round-3.5 Play System Footing Requirements** shall vary depending on deck heights, components, and events attached to the structure. Most Round-3.5 components and posts are available for surface or in-ground mounting.





**REVOLUTION SYSTEM - GENERAL SPECIFICATIONS:**

**Revolution Direct-Bolt Double-Wall Post System (Patent Pending)**, shall be constructed utilizing (4) primary components: Double-wall mounting sleeves, Core post, Top cap, and Bottom cap. Each mounting sleeve shall be precision die-cast from a high-strength A369.1 aluminum alloy specially formulated to withstand corrosion in harsh climates/environments. Die Cast Sleeves shall be 5" diameter and individually finished with a smooth machined surface. All mounting sleeves shall include factory drilled and threaded component attachment holes. Nylon Plugs shall be included for attachment holes not utilized during play structure assembly. Core post shall be constructed of 3-1/2" O.D. 11-gauge galvanized steel tubing exhibiting the following mechanical properties: Tensile Strength of 55,000 PSI and Yield Strength of 50,000 PSI. Top cap shall be precision die-cast from a high-strength A-369.1 aluminum alloy specially formulated to withstand corrosion in harsh climates/environments with a powder coated as specified. Post caps to include Playcraft Systems' exclusive self-sealing design with an overlapping lip and are factory installed and secured in place with a self-sealing rivet. Post caps are available in a variety of colors. Bottom Cap shall be precision die-cast from a high-strength A-369.1 aluminum alloy specially formulated to withstand corrosion in harsh climates/environments with a powder coated as specified and factory installed.

<b>Steel Post Mechanical Properties:</b>	
<b>Yield Strength (min):</b>	50,000 PSI
<b>Tensile Strength (min):</b>	55,000 PSI
<b>% Elongation in 2 Inches:</b>	25
<b>Modulus of Elasticity:</b>	30 x 10 <sup>6</sup> PSI

**Tubular Steel and Metal Components** shall be heavy-gauge and pre-galvanized including internal corrosion protection. Tube shall be formed and/or fabricated into required components and finished as specified. All tubular steel components shall comply with ASTM standards: A-500/A-513 (Steel Tubing). Prior to receiving Powder Coating or PlayTuff™ Coating, all metal components shall be zinc plated, cadmium plated, or galvanized to resist rust and corrosion.

**Revolution Play System Footing Requirements** shall vary depending on post heights, components, and events attached to the structure. Most Revolution components and posts are available for surface or in-ground mounting.




# coloring by material

IMPORTANT: The colors shown are for illustration purposes only. Actual colors may vary. Contact your Playcraft Distributor for accurate color samples.

Playcraft offers one of the largest selections of material color in the industry, allowing your playground to meet any need when it comes to visual appearance.



Metal components receive a multi-stage powder-coating process with a highly durable protective finish unparalleled in the industry, and the added texture effect of our Metaluxe powder-coat colors can add a soft and elegant look.



Our in-house state-of-the-art Play-Tuff coating process offers unmatched protection on decks and steps.



Our ultra-tough fabrics come in a wide variety of colors and provide superior protection from harmful ultra-violet rays.





IMPORTANT: The colors shown are for illustration purposes only. Actual colors may vary. Contact your Playcraft Distributor for accurate color samples.



# ELEMENTS OF COLOR


## ROTO-MOLDING PLASTIC



Using hot-blended color compounded resins our roto-molded products stay bright and colorful even after years of play.




## HDPE LAYERED PLASTIC



## HDPE SOLID PLASTIC

Our high-density polyethylene sheet plastic is available in solid and layered colors for a variety of design opportunities.





IMPORTANT: The colors shown are for illustration purposes only. Actual colors may vary. Contact your Playcraft Distributor for accurate color samples.



# ELEMENTS OF COLOR

## SWING SEATS

Slash Proof Seats are constructed from durable elastomer and come in a variety of colors.



blue



green



yellow



red



tan



black



## THERMO PLASTIC COATING

Our Thermoplastic Polyethylene coating is an environmentally responsible choice.



pacific blue



forest green



rhubarb red



bigfoot brown



gull gray



Cables are made from tightly woven, abrasion-resistant, nylon-wrapped, multi-strand galvanized steel cable.

## PLAY-CORD CABLE



blue



black



green



red





# INDUSTRY LEADING WARRANTY

Every product we manufacture is designed with quality, safety and value in mind. Every project we undertake is an opportunity to prove that Playcraft Systems is setting a new standard and raising the bar on quality and play expectations... one playground at a time.



Playcraft Systems® warrants its products to be free from defects in materials and workmanship, when properly used, serviced and installed in accordance with published specifications, for a period of one (1) year from the original date of invoice. Playcraft Systems® further warrants as follows:

## LIFETIME LIMITED WARRANTY

on all stainless steel hardware, metal posts, aluminum posts, aluminum caps and aluminum clamps against structural failure due to natural deterioration or corrosion, or defects in materials or workmanship.

## TWENTY-FIVE (25) YEAR LIMITED WARRANTY

on all cast aluminum Spring Rider castings against structural failure due to defects in materials or workmanship.

## FIFTEEN (15) YEAR LIMITED WARRANTY

on all metal rails, metal slides, handles, rungs, loops and walls, all Play-Tuff™ coated perforated steel decks, steps, and bridges, all rotationally molded and HDPE sheet plastic components, excluding recycled plastic components, against structural failure due to defects in materials or workmanship.

All warranties above commence on the date of the original invoice from Playcraft Systems®. For the purpose of this warranty, the term LIFETIME encompasses no specific number of years, but rather that Playcraft Systems® warrants to its original customer, for as long as the original customer owns the Products and uses the Products for their intended purpose, that any Products and all components will be free from defects in materials and workmanship. The warranty stated above is valid only if the products and finishes: (1) are assembled and installed in conformity with the layout plan and installation instructions furnished by Playcraft Systems®; (2) have been maintained and inspected in accordance with Playcraft Systems® maintenance information and other normal and prudent practices; (3) have been subjected to normal use for the purpose for which the products were designed and intended; (4) have not been subjected to misuse, abuse, vandalism, accident or neglect; (5) have not been altered in any manner including, but not limited to, incorporating unauthorized or unapproved parts; and (6) have not been modified, altered, or repaired by persons other than Seller's designees in any respect which, in the judgment of Seller, affects the condition or operation of the equipment. This warranty does not cover: (1) cosmetic damages or defects resulting from scratches, dents, marring, rough handling, improper installation methods, fading, discoloring or weathering; (2) damage due to extreme or prolonged exposure to "Environmental Factors", such as wind-blown sand, salt water, salt spray and airborne emissions from industrial sources (sulfur, acids, chemicals, or corrosive agents, other than normal photochemical smog); (3) damage caused by environmental hazards and "Acts of God", such as hail, flooding, lightning, tornadoes, sandstorms, earthquakes, windstorms, and other extreme weather conditions; or (4) normal wear and tear. No warranty is made with regard to gloss retention or uniformity of gloss and color retention. If any products covered by this warranty fail within the time period applicable to a defective product, Playcraft Systems® shall, upon being notified of the defect in writing, at its sole option, either repair the defective products or replace the defective products within 90 days of receipt of the written notification. Repair or

## TEN (10) YEAR LIMITED WARRANTY

on all shade canopy fabric made of UV Stabilized HDPE monofilament yarn and tape against significant fading.

## FIVE (5) YEAR LIMITED WARRANTY

on all Play-Cord™ and Net-Effects™ cables and connectors against breakage and failure due to defects in materials or workmanship.

## FIVE (5) YEAR LIMITED WARRANTY

on all Playcraft System® powder coating against cracking and/or peeling due to normal climatic exposure.

## THREE (3) YEAR LIMITED WARRANTY

on all springs, Net-Effects™ rubber belting, moving swing parts, swing seats and other swing components, as well as all recycled plastic components against failure due to defects in materials or workmanship.

## ONE (1) YEAR LIMITED WARRANTY

on all moving parts, and their integrated components, and on any other product or part not specifically covered above against failure due to defects in materials and workmanship.

replacement as provided in this section shall be the purchaser's exclusive remedy and purchaser expressly agrees that Playcraft Systems® shall not be responsible for any other damages, losses, or costs, including consequential and incidental damages, claimed by purchaser. Playcraft Systems® shall deliver the repaired or replacement products to the purchaser free of charge, but shall not provide labor, reimbursements for labor or reimburse any other costs associated with the removal or disposal of the defective products and/or the installation of any replacement products. Notwithstanding the previous sentence, Playcraft Systems® shall not pay for any costs of shipping replacement parts outside of the continental United States. Any products replaced or repaired consistent with this paragraph shall be guaranteed for the balance of the original warranty period. THIS WARRANTY IS EXCLUSIVE AND IS IN LIEU OF ALL OTHER WARRANTIES, WHETHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THE REMEDIES PROVIDED HEREIN SHALL BE THE EXCLUSIVE AND SOLE REMEDIES OF THE ORIGINAL PURCHASER. PLAYCRAFT SYSTEMS® IS NOT LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES WHICH MAY ARISE FROM THE PURCHASE, USE OR MISUSE OF ITS PRODUCTS. SOME STATES DO NOT ALLOW THE EXCLUSION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES. SO THIS EXCLUSION MAY NOT APPLY. PLAYCRAFT SYSTEMS® NEITHER ASSUMES NOR AUTHORIZES ANY OTHER PERSON TO ASSUME OR IMPLY ANY OTHER LIABILITY IN CONNECTION WITH THE SALE OR USE OF THE EQUIPMENT SOLD. To make a claim under the terms of this warranty, purchaser must submit a written statement detailing the nature of the warranty claim, including an itemization of each defective condition, along with a copy of the original invoice, maintenance records and supporting photographs to Playcraft Systems®, 123 North Valley Drive, Grants Pass, Oregon 97526. Due to our ongoing commitment to product development and improvement, Playcraft Systems® reserves the right to change, modify or discontinue certain products without notice. (Rev. R)



***PlayWell***

Athletic, Park, and Playground Equipment

# INCLUSIVE DESIGN EXAMPLES




# PlayWell

The PlayWell Group, Inc.



Athletic, Park and Playground Equipment

## ELK RIDGE PARK

System Type  
R-5  
For Ages  
5-12



A PLAYCORE Company





# PlayWell

The PlayWell Group, Inc.



## OAK VALLEY PARK

Play Well Type  
R-5  
For Ages  
5-12

Athletic, Park and Playground Equipment



A PLAYCORE Company





**THE PLAYWELL GROUP**

**REFERENCES:**

1.

Project Name and location	Don Misenhimer Park / City of Arlington		
Project Type (e.g. new equipment, addition, etc.):	New Equipment / Park	Install. orig. construction date:	4-18-2023
Primary equipment use (e.g. office, school, residence, etc.)	Community Playground		
Primary exterior materials		Name of site superintendent:	Eric Seeback
		Contract Amount	Beginning \$328,928 Ending: \$328,928
Describe the project and your scope of work, and how it relates to your ability to execute this project:	Demo of existing playground equipment and Safety Surfacing Installation of new playground equipment and safety Surfacing		
Project Owner (company)	City of Arlington	Address	717 W. Main St.
City	Arlington	State	TX Zip 76013
Project Owner's Rep (familiar with project)	Eric Seeback	Phone	817-308-9025 Fax
Project percent complete	100%	If completed, date	5-12-2023
Project A/E Name (firm and individual)		A/E Phone	

2.

Project Name and location	Oak Valley Park		
Project Type (e.g. new equipment, addition, etc.):	New Equipment / Park	Install. orig. construction date:	6-16-2024
Primary equipment use (e.g. office, school, residence, etc.)	Neighborhood Park		
Primary exterior materials		Name of site superintendent:	Daniel Shafer
		Contract Amount	Beginning \$283,121 Ending: \$283,121
Describe the project and your scope of work, and how it relates to your ability to execute this project:	Demo of existing playground equipment and safety Surfacing, Installation of new playground equipment and safety Surfacing		
Project Owner (company)	City of Burleson	Address	141 W. Renfro Street
City	Burleson	State	TX Zip 76028
Project Owner's Rep (familiar with project)	Daniel Shafer	Phone	817-944-9237 Fax
Project percent complete	100%	If completed, date	07-2023
Project A/E Name (firm and individual)		A/E Phone	



REFERENCES: (CONTINUED)

3.

Project Name and location	Wakefield Park		
Project Type (e.g. new equipment, addition, etc.):	New equipment / Park	Install. org. construction date:	06-2023
Primary equipment use (e.g. office, school, residence, etc.)	Neighborhood Park		
Primary exterior materials		Name of site superintendent:	Jessica Martinez
		Contract Amount	Beginning: \$192,999 Ending: \$192,999
Describe the project and your scope of work, and how it relates to your ability to execute this project:	Demo of existing playground equipment and Safety Surfacing Installation of new playground equipment and Safety Surfacing		
Project Owner (company)	City of Burleson	Address	141 W. Renfro ST
City	Burleson	State	TX Zip 76028
Project Owner's Rep (familiar with project)	Jessica Martinez	Phone	469-855-8402 Fax
Project percent complete	100%	If completed, date	07-2023
Project A/E Name (firm and individual)		A/E Phone	



# CONFLICT OF INTEREST QUESTIONNAIRE

# FORM CIQ

For vendor doing business with local governmental entity

## OFFICE USE ONLY

Date Received

This questionnaire reflects changes made to the law by H.B. 23, 84th Leg., Regular Session.

This questionnaire is being filed in accordance with Chapter 176, Local Government Code, by a vendor who has a business relationship as defined by Section 176.001(1-a) with a local governmental entity and the vendor meets requirements under Section 176.006(a).

By law this questionnaire must be filed with the records administrator of the local governmental entity not later than the 7th business day after the date the vendor becomes aware of facts that require the statement to be filed. See Section 176.006(a-1), Local Government Code.

A vendor commits an offense if the vendor knowingly violates Section 176.006, Local Government Code. An offense under this section is a misdemeanor.

1 Name of vendor who has a business relationship with local governmental entity.

N/A

2  Check this box if you are filing an update to a previously filed questionnaire. (The law requires that you file an updated completed questionnaire with the appropriate filing authority not later than the 7th business day after the date on which you became aware that the originally filed questionnaire was incomplete or inaccurate.)

3 Name of local government officer about whom the information is being disclosed.

N/A

Name of Officer

4 Describe each employment or other business relationship with the local government officer, or a family member of the officer, as described by Section 176.003(a)(2)(A). Also describe any family relationship with the local government officer. Complete subparts A and B for each employment or business relationship described. Attach additional pages to this Form CIQ as necessary.

N/A

A. Is the local government officer or a family member of the officer receiving or likely to receive taxable income, other than investment income, from the vendor?

Yes

No

B. Is the vendor receiving or likely to receive taxable income, other than investment income, from or at the direction of the local government officer or a family member of the officer AND the taxable income is not received from the local governmental entity?

Yes

No

5 Describe each employment or business relationship that the vendor named in Section 1 maintains with a corporation or other business entity with respect to which the local government officer serves as an officer or director, or holds an ownership interest of one percent or more.

N/A

6  Check this box if the vendor has given the local government officer or a family member of the officer one or more gifts as described in Section 176.003(a)(2)(B), excluding gifts described in Section 176.003(a-1).

7 Frank Zamora  
Signature of vendor doing business with the governmental entity

02/26/2025  
Date



# CERTIFICATE OF INTERESTED PARTIES

FORM 1295

1 of 1

Complete Nos. 1 - 4 and 6 if there are interested parties.  
 Complete Nos. 1, 2, 3, 5, and 6 if there are no interested parties.

**OFFICE USE ONLY  
 CERTIFICATION OF FILING**

**1 Name of business entity filing form, and the city, state and country of the business entity's place of business.**

The PlayWell Group, INC  
 Boerne, TX United States

Certificate Number:  
 2025-1274980

Date Filed:  
 02/27/2025

**2 Name of governmental entity or state agency that is a party to the contract for which the form is being filed.**

City of Coppell

Date Acknowledged:

**3 Provide the identification number used by the governmental entity or state agency to track or identify the contract, and provide a description of the services, goods, or other property to be provided under the contract.**

MacArthur Park RFP #215  
 Supply all materials, equipment, and installation for inclusive playground.

4	Name of Interested Party	City, State, Country (place of business)	Nature of interest (check applicable)	
			Controlling	Intermediary
	The PlayWell Group, Inc.	Boerne, TX United States	X	

5 Check only if there is NO Interested Party.


**6 UNSWORN DECLARATION**

My name is Frank Zamora, and my date of birth is 3/29.

My address is 203A State Hwy 46 East, Boerne, TX, 78006, USA.  
(street) (city) (state) (zip code) (country)

I declare under penalty of perjury that the foregoing is true and correct.

Executed in Parker County, State of Texas, on the 26 day of February, 2025.  
(month) (year)

  
 \_\_\_\_\_  
 Signature of authorized agent of contracting business entity  
(Declarant)



**City of Coppell, TX  
Procurement Services**

**HOUSE BILL 89 VERIFICATION**

I, Frank Zamora (Person name), the undersigned representative of  
(Company or Business name) The PlayWell Group

(hereafter referred to as company)

**being an adult over the age of eighteen (18) years of age, do hereby depose and verify under oath that the company named-above, under the provisions of Subtitle F, Title 10, Government Code Chapter 2270:**

- 1. Does not boycott Israel currently; and**
- 2. Will not boycott Israel during the term of the contract the above-named Company, business or individual with the City of Coppell acting by and through City of Coppell.**

*Pursuant to Section 2270.001, Texas Government Code:*

- 1. "Boycott Israel" means refusing to deal with, terminating business activities with, or otherwise taking any action that is intended to penalize, inflict economic harm on, or limit commercial relations specifically with Israel, or with a person or entity doing business in Israel or in an Israeli-controlled territory, but does not include an action made for ordinary business purposes; and*
- 2. "Company" means a for-profit sole proprietorship, organization, association, corporation, partnership, joint venture, limited partnership, limited liability partnership, or any limited liability company, including a wholly owned subsidiary, majority-owned subsidiary, parent company or affiliate of those entities or business associations that exist to make a profit.*

DATE 02/26/2025

*Frank Zamora*  
\_\_\_\_\_  
SIGNATURE OF COMPANY  
REPRESENTATIVE

**City of Coppell, TX  
Procurement Services**

**Boycott Energy Companies**

I, Frank Zamora (Person name), the undersigned representative of

(Company or Business name) The PlayWell Group

(hereafter referred to as company)

**being an adult over the age of eighteen (18) years of age, do hereby depose and verify under oath that the company named above, under the provisions of Texas Government Code Section 809.001:**

The contractor verifies that it does not Boycott Energy Companies and agrees that during the term of this Agreement will not Boycott Energy Companies as that term is defined in Texas Government Code Section 809.001, as amended.

02/26/2025

DATE

Frank Zamora

SIGNATURE OF COMPANY  
REPRESENTATIVE



**City of Coppell, TX  
Procurement Services**

**Prohibition of Discrimination Against Firearm Entities and Firearm Trade Associations**

I, Frank Zamora (Person name), the undersigned representative of

(Company or Business  
name)

The PlayWell Group

(hereafter referred to as company)

**being an adult over the age of eighteen (18) years of age, do hereby depose and verify under oath that the company named above, under the provisions of Texas Government Code Section 2274.001:**

Contractor verifies that it does not have a practice, policy, guidance, or directive that discriminates against a firearm entity or firearm trade association as those terms are defined in Texas Government Code Section 2274.001, as amended; and (ii) will not discriminate during the term of this Agreement against a firearm entity or firearm trade association.

This section does not apply if Contractor is a sole proprietor, a non-profit entity, or a governmental entity; and only applies if: (i) Contractor has ten (10) or more fulltime employees and (ii) this Agreement has a value of \$100,000.00 or more to be paid under the terms of this Agreement.

02/26/2025

DATE

Frank Zamora

SIGNATURE OF COMPANY  
REPRESENTATIVE

**COOPERATIVE PURCHASING**

As permitted under Government Code, Title 7, Chapter 791.025, other governmental entities may wish to cooperatively purchase under the same terms and conditions contained in this contract (piggyback). Each entity wishing to piggyback must have prior authorization from the City of Coppell and Contractor. If such participation is authorized, all purchase orders will be issued directly from and shipped directly to the entity requiring supplies/services. The City of Coppell shall not be held responsible for any orders placed, deliveries made, or payment for supplies/services ordered by these entities. Each entity reserves the right to determine their participation in this contract.

**IS YOUR FIRM WILLING TO ALLOW OTHER GOVERNMENTAL ENTITIES TO UTILIZE THIS CONTRACT, IF AWARDED, UNDER THE SAME TERMS AND CONDITIONS?**

    X     YES

           NO



# Questions & Answers - 1

**Solicitation** RFP #215 - Design MacArthur Park Inclusive Playground  
**Buying Organization** City of Coppell

No	Question/Answer	Question Date
Q1	<p><b>Question: Pricing Question</b></p> <p>Just to clarify and ensure compliance, can you confirm that your RFQ is focused solely on qualifications? Did the City intend to request pricing?</p> <p><b>Answer:</b> This is an RFP (Request for Proposal) Per the packet, pricing is a criteria that the responses will be scored on.</p>	02/13/2025

*Frank Zamora*  
02/26/2025

## Questions & Answers - 2

**Solicitation**

RFP #215 - Design MacArthur Park Inclusive Playground

**Buying Organization**

City of Coppell

No	Question/Answer	Question Date
Q3	<p><b>Question: Page Requirements</b> Are there any specific requirements for the proposal? Page limits or font size?</p> <p><b>Answer:</b> There are no limits on number of pages - standard is 10-20 pages. No requirement for font</p>	02/18/2025

*Frank Zamora*

02/26/2025



# Questions & Answers - 3

**Solicitation** RFP #215 - Design MacArthur Park Inclusive Playground  
**Buying Organization** City of Coppell

No	Question/Answer	Question Date
Q2	<b>Question: Fees and Pricing</b> Is there a budget? If so, what kind of fees are you looking for and are you wanting percentages?	02/18/2025
	<b>Answer:</b> That information is unavailable at this time.	

*Frank Zamora*  
02/26/2025

## Questions & Answers - 4

**Solicitation**

RFP #215 - Design MacArthur Park Inclusive Playground

**Buying Organization**

City of Coppell

No	Question/Answer	Question Date
Q4	<p><b>Question: Project Scope</b></p> <p>Is this intended to be a single project or multiple projects done in multiple phases?</p> <p><b>Answer:</b> Per the RFP this is one project (design). However, if a responsible, responsive proposal is selected by staff to move forward (with approval) by City Council), there will be another project phase (construction).</p>	02/18/2025

*Frank Zamora*

02/26/2025



# Questions & Answers - 5

**Solicitation** RFP #215 - Design MacArthur Park Inclusive Playground  
**Buying Organization** City of Coppell

No	Question/Answer	Question Date
Q5	<b>Question: Buy Board Purchasing</b> Will you be using the buy board to purchase the playground?  <b>Answer:</b> This can be discussed at the pre-proposal meeting	02/18/2025
Q6	<b>Question: Qualification</b> Is this RFP opened to a design professional firm (such as landscape architect) or a playground vendor/contractor?  <b>Answer:</b> If the Scope of Work can be met by the firm	02/18/2025
Q7	<b>Question: Two Options</b> Good morning. Are we allowed to provide two options for this project?  <b>Answer:</b> We are looking for the most responsive, reliable proposal	02/19/2025

*Frank Zamora*  
02/26/2025