QTY: 1 54.6 FT2 **ELECTRICAL INFORMATION** 

This Sign To Be Constructed And Installed According To Article Code 250 & 600 Of Nec. Grounding And Bonding Of Sign As Per Nec 250

Power Supply Info.

(qty) Sloan power supply Variable Input: 100VAC~277VAC 50-60 Hz Max 0.80A

Output: 60W @ 12VDC, Class 2

LED Info.

(qty) sloan led (red)
.30 watts / module (totals)


COLOR CALLOUTS

a #2415 RED (PMS 186)


b GLOSS BLACK







TIM HORTONS
SIDE SECTION VIEW
SCALE: NTS




COFFEE & BAKERY
SIDE SECTION VIEW
SCALE: NTS


Drawn by:	Scale:	Weight:	Area:	Sides:	Client Signature:	Qty:
D.MADDEN	NOTED	TBD	NOTED	TBD		
Title:	•	•	•	•	Signature Date:	1
36"CHANNEL LETTERS W/ SUBSIGN						












	Drawn by:	Scale:	Weight:	Area:	Sides:	Client Signature:	Qty:
	D.MADDEN	NOTED	TBD	TBD	TBD		
	Title: CANOPY LAYOUT					Signature Date:	











## Front / Rear View



## **Side View**





Solar Lights Outdoor, Waterproof Solar Spotlight Solar Lights Question Haterproof Solar Spotlight Auto On Off Solar (2 Pack) Cool White (2 Pack)

## **Ground Lights**

## Graphic Colors 3630-33 Red White Arlon Black Satin

,	
CAP	ITAL AWNINGS

902 NW Main St. Bunkie, LA 71322 capitalsignco.com 318-346-9898

Location: Coppell, TX Designed By:<br/>M.CarrenoQuantity:<br/>2 FacesNotes<br/>No integrationDate:Page #:<br/>1 of 1

No internal lighting, Just ground lighting provided by installers

**Client Signature** 

The data in this document incorporate proprietary rights of Capital Sign & Awning: Any Party accepting this document does so in confidence and agrees that it shall not be duplicated, in whole or in part, nor disclose to others without written consent of Capital Signs & Awnings.