





FRONT ELEVATION - EAST



REAR ELEVATION - WEST



NON-DRIVE THRU SIDE ELEVATION - NORTH



DRIVE THRU SIDE ELEVATION - SOUTH

Material and finish specifications for the McDonald's restaurant:

- ABS ALUMINUM BATTEN SYSTEM**
SIZE: 2" x 2" PROFILE
COLOR: WOOD GRAIN
SUBSTRATE COLOR: SW 7069 "IRON ORE" (BY SHERWIN WILLIAMS)
- MWP 7" REVEAL METAL WALL PANEL SYSTEM**
MANUFACTURER: METAL ERA
COLOR: WEATHERED ZINC
- S-1 STUCCO**
COLOR: SW 7069 "IRON ORE" (BY SHERWIN WILLIAMS)
FINISH: VERY SMOOTH
- BR MODULAR BRICK VENEER**
SUPPLIER: ACME BRICK
COLOR: SLATE GRAY
FINISH: VELOUR
- C-1 ALUMINUM CANOPY**
COLOR: WHITE
- C-2 ALUMINUM CANOPY w/ GOLD UNDERSCORE**
COLOR: WHITE
- T-1 ALUMINUM TRELLIS w/ GOLD UNDERSCORE**
COLOR: RAL 7022
- HMD HOLLOW METAL DOOR**
SHERWIN WILLIAMS
COLOR: SW-7019 GAUNTLET GRAY
- ACP ALUMINUM COMPOSITE PANEL**
MANUFACTURER: CITADEL
COLOR: RAL 7022

TOTAL FRONT FACADE SQUARE FOOTAGE:	973 SQ.FT.
SQUARE FOOTAGE OF STOREFRONT GLAZING AND DOORS:	234 SQ.FT.
TOTAL FRONT FACADE SQUARE FOOTAGE (WITHOUT STOREFRONT GLAZING AND DOORS):	739 SQ.FT.
SQUARE FOOTAGE OF BRICK (MASONRY):	122 SQ.FT. (16%)
SQUARE FOOTAGE OF STUCCO (MASONRY):	315 SQ.FT. (43%)
TOTAL SQUARE FOOTAGE OF MASONRY COMBINED:	437 SQ.FT. (59%)

TOTAL NON-DT FACADE SQUARE FOOTAGE:	1,821 SQ.FT.
SQUARE FOOTAGE OF HOLLOW METAL DOORS, STOREFRONT GLAZING AND DOORS:	337 SQ.FT.
TOTAL FRONT FACADE SQUARE FOOTAGE (WITHOUT STOREFRONT GLAZING AND DOORS):	1,484 SQ.FT.
SQUARE FOOTAGE OF BRICK (MASONRY):	503 SQ.FT. (34%)
SQUARE FOOTAGE OF STUCCO (MASONRY):	325 SQ.FT. (22%)
TOTAL SQUARE FOOTAGE OF MASONRY COMBINED:	828 SQ.FT. (56%)

HEIGHT OF BUILDING:	21'-3"
VERTICAL DIMENSION AT LEAST 3%:	7.65" REQUIREMENT
PRE-FAB ANCHOR-TITE METAL FASCIA:	8.5" PROVIDE

MF C1 MF C1 MF C1 CM C1 LE L1 S 7 A5.3 3'-6" EQ EQ G 6 A5.3 MS C1 CJ TYP. MF C2 LE L1 5 A5.3

T/ALUMINUM BATTEN
ELEV. + 20'-11"

B/ALUMINUM BATTEN
ELEV. + 11'-9"

B/CANOPY
ELEV. + 10'-11"

T/ALUMINUM BATTEN
ELEV. + 10'-10 1/2"

T/WINDOW
ELEV. + 9'-4"

L1 C1 S MOBILE BLADE SIGN

S DELIVERY BLADE SIGN CENTERED ON SECOND BATTEN

GR

BR B1 AL TE DE UN L1 C2 TYP.


W3 XXXX W3 W4 W4 W4 W4

DO L1 C1 BR B1 EJ C1 L1 C1 DO AL TE

ACCESSIBILITY SIGNAGE SEE GEN NOTE #6 ON A1.0

BUILDING ADDRESS 6"H. CHARACTERS AND 3/4" STROKE FONT: AKZIDENZ GROTESK PRO BOLD

1 FRONT ELEVATION
A2.0 1/4" = 1'-0"



WALL SCONE AND CANOPY LIGHTING ARE DOWNLIGHTING ONLY.



W# EXTERIOR WINDOW ASSEMBLY - TEMPERED GLASS
COLOR: DARK BRONZE
SEE SHEET A6.0

W2 DRIVE-THRU WINDOW BY READY ACCESS
MODEL: 600 SERIES, 36" SERVICE HEIGHT WITH TRANSOM, MANUAL
XX OPEN; ELECTRONIC RELEASE
COLOR: DEEP BRONZE

SLIDE DIRECTION: RL = RIGHT TO LEFT
LR = LEFT TO RIGHT

