

ROOF COATING SPECIFICATIONS



CERTIFIED LABORATORY  
TEST REPORT  
Solar Reflectance  
Thermal Emittance and SRI Values

SOUTHWEST METAL SYSTEMS


PRODUCT TYPE	SUBSTRATE	PRODUCT COLOR	SHERWIN-WILLIAMS ITEM CODE	INITIAL SOLAR REFLECTANCE	AGED SOLAR REFLECTIVE EXPOSURE	INITIAL EMISSIVITY	AGED EMISSIVITY	INITIAL SOLAR REFLECTIVE INDEX (SRI)	AGED SOLAR REFLECTIVE INDEX (SRI)
WEATHERXL	GALVALUME	POLAR WHITE	WYV0049L	0.64	0.61	0.86	0.86	77	72
WEATHERXL	GALVALUME	RUSTIC RED	WXR0007L	0.36	0.36	0.86	0.86	38	38
WEATHERXL	GALVALUME	SADDLE TAN	WXR0001L	0.47	0.46	0.86	0.86	53	52
WEATHERXL	GALVALUME	HUNTER GREEN	WXG0021L	0.35	0.34	0.86	0.86	37	35
WEATHERXL	GALVALUME	ASH GRAY	WXA0002L	0.46	0.46	0.86	0.86	52	52
WEATHERXL	GALVALUME	KICKY BROWN	WXB1001L	0.35	0.33	0.86	0.86	37	34
WEATHERXL	GALVALUME	BURNISHED SLATE	WXB1007L	0.34	0.33	0.86	0.86	35	34
WEATHERXL	GALVALUME	LIGHT STONE	WXD0008L	0.56	0.56	0.86	0.86	65	65
WEATHERXL	GALVALUME	HAWAIIAN BLUE	WHL0027L	0.31	0.31	0.86	0.86	31	31
WEATHERXL	GALVALUME	CHARCOAL GRAY	WXA0005L	0.37	0.36	0.86	0.86	39	38
WEATHERXL	GALVALUME	DESERT SAND	WXD0005L	0.42	0.41	0.87	0.87	47	45
WEATHERXL	GALVALUME	CRIMSON RED	WXR0004L	0.31	0.31	0.86	0.86	31	31
WEATHERXL	GALVALUME	FERN GREEN	WXG0005L	0.28	0.27	0.87	0.87	28	27
WEATHERXL	GALVALUME	GALLERY BLUE	WHL0006L	0.25	0.25	0.87	0.87	24	24
WEATHERXL	GALVALUME	COLONY GREEN	WXG0009L	0.28	0.29	0.86	0.86	27	29

Solar reflectance values are determined by means of a solar spectrum reflectometer in accordance with ASTM C 1539. Thermal emittance values are determined in accordance with ASTM C 1373. SRI is calculated in accordance to ASTM E 1980 with medium wind speed. Panels are uncoated. These measurements are NOT intended to be used for ENERGY STAR certification. The SHERWIN-WILLIAMS COMPANY certifies these tests to be true and accurate and performed by our laboratory.

F-Cert Aged 2020-457R


August 18, 2020

Rev.05/16/2018




GARAGE AREA:  
STORAGE AREA:  
COVERED PATIO AREA


625 S.F.  
625 S.F.  
1,250 S.F.




NORTH  
ELEVATION



WEST  
ELEVATION



SOUTH  
ELEVATION



EAST  
ELEVATION

GARAGE/STORAGE/COVERED PATIO STRUCTURE

SHEET: BUILDING ELEVATIONS  
PROJECT: TRINITY RIVER KAYAK COMPANY  
1601. E. SANDY LAKE ROAD  
COPELL, TEXAS

PROJECT INFO:  
LOT 1, BLOCK A, TRINITY RIVER KAYAK SUBDIVISION  
1.494 ACRE TRACT IN THE WESTON PERRY SURVEY,  
ABSTRACT NO. 1152, DALLAS, COUNTY, TEXAS